

HOT BUTTON - UNITY TACTICAL HOT BUTTON M-LOK NGAL LASER 6" VIS OVER-RIDE FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Accessories](#)

Hot Button is a revolutionary control device for weapon-mounted electronic accessories. Developed out of a need to conserve rail-estate, improve actuation ergonomics, and mechanically integrate with weapon fore ends, Hot Button has successfully reinvented how you interface with your lights and lasers. The first major innovation is the button angle. Legacy remote tape switches feature a flat pad that forces users to strain their thumbs in an unnatural angle to apply consistent pressure to activate a momentary function. Hot Button presents the activation button at a 45-degree angle for an exponentially more comfortable press. This is especially important when activating the button under pressure. A raised, crenelated bezel protects the button from accidental actuation, while providing a tactile index point for the user's thumb. Because Hot Button is angled, the overall footprint is much smaller than factory OEM pressure pads. Not only does this clean up rails on traditional weapons, but it greatly increases the accessory layout options on smaller SMG and PDW's. If that weren't enough, we have designed two separate versions of Hot Button that will attach directly to either Mil-Std M1913 Picatinny or M-LOK rail interface. Both rail systems are approved and standardized by the US Department of Defense for use on issued weapons. Hot Button secures to these rails with hardware, eliminating the need for Velcro, 100mph Tape, or Zip Ties. This secure attachment method ensures your switches stay on the gun (in the location you placed them) regardless of battlefield abuse. Hot Button is available for standard Surefire tail caps and standard Crane-Style laser ports (found in B.E. Meyers, Holosun, Insight/L-3, Steiner, and Wilcox products).



Attributes

- Name: [UNITY TACTICAL HOT BUTTON M-LOK NGAL LASER 6" VIS OVER-RIDE FDE](#)
- Manufacturer: [UNITY TACTICAL](#)
- Product no.: 430100010
- Mfr. No.: HBM-NFV
- Colour: Flat Dark Earth
- Delivery weight: 0.077kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 127mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [HOT BUTTON UNITY TACTICAL HOT BUTTON MLOK NGAL LASER 6" VIS OVERRIDE FDE Safety Instruction Guide](#)
- [About Us](#)

HOT BUTTON UNITY TACTICAL HOT BUTTON MLOK NGAL LASER 6" VIS OVERRIDE FDE Safety Instruction Guide

Introduction

Thank you for choosing the HOT BUTTON UNITY TACTICAL HOT BUTTON MLOK NGAL LASER 6" VIS OVERRIDE FDE. This product is designed to enhance your weapon-mounted electronic accessories by providing a more ergonomic and efficient interface. This safety instruction guide outlines essential safety guidelines, precautions, and instructions to ensure the safe use of this product.

General Safety Guidelines

- Ensure that the product is used only as intended and according to the manufacturer's specifications.
- Always inspect the product before use for any signs of damage or wear.
- Keep the product out of reach of children and unauthorized users.
- Do not use the product in environments that may pose a risk of injury or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- **Button Activation:**
 - Use the button only when necessary to avoid accidental activation.
 - Ensure your thumb is properly positioned on the button to avoid strain.
- **Environmental Considerations:**
 - Avoid using the product in wet or excessively humid conditions to prevent electrical malfunction.
 - Do not expose the product to extreme temperatures or direct sunlight for prolonged periods.
- **Attachment Security:**
 - Ensure that the Hot Button is securely attached to the rail system before use to prevent detachment during operation.
 - Regularly check the attachment hardware for tightness and wear.
- **Compatibility:**
 - Use the product only with compatible Surefire tail caps and CraneStyle laser ports as specified by the manufacturer.

Instructions for Installation and Usage

Installation

1. **Identify the Rail System:**
 - Ensure compatibility with either MilStd M1913 Picatinny or MLOK rail interface.
2. **Attach the Hot Button:**
 - Align the Hot Button with the chosen rail system.
 - Securely fasten using the provided hardware, ensuring it is tight and stable.
3. **Check Positioning:**
 - Verify that the button is easily accessible and positioned correctly for use.

Usage

1. **Activating the Button:**
 - Position your thumb on the raised, crenelated bezel for a secure grip.
 - Press the button at a 45degree angle for optimal comfort and control.

2. Monitoring Functionality:

- Regularly test the button's functionality before critical use.
- If the button does not activate as expected, cease use and inspect for issues.

Disposal Instructions

- Dispose of the product in accordance with local regulations and guidelines.
- Do not dispose of the product in regular household waste.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the HOT BUTTON UNITY TACTICAL HOT BUTTON MLOK NGAL LASER 6" VIS OVERRIDE FDE, please refer to the manufacturer's contact details provided in the product packaging or visit the manufacturer's website for more information.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and usability of your HOT BUTTON product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk