

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (LARGE), MULTICAM

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(LARGE\), MULTICAM](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430100568

- Mfr. No.: PC-FO-MC-LG
- Colour: Multi-Cam
- Delivery weight: 0.207kg
- Shipping height: 25mm
- Shipping width: 191mm
- Shipping length: 279mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG
- About Us

Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

Introduction

Thank you for choosing the LV119 FRONT OVERT PLATE BAG by Spiritus Systems. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the LV119 FRONT OVERT PLATE BAG is used only as intended and in accordance with the manufacturer's instructions.
- Regularly inspect the bag for any signs of wear, damage, or malfunction. Do not use if damaged.
- Store the product in a cool, dry place away from direct sunlight and moisture.
- Keep the product away from children and vulnerable individuals who may not understand its proper use.
- Be aware of your surroundings and use the bag in a safe manner, especially in highrisk environments.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a Rear Bag and Cummerbund for proper operation. Ensure these components are compatible and correctly fitted.
- **Weight Distribution:** When loaded, ensure that the weight is evenly distributed to avoid strain or injury.
- **Communication Equipment:** If using communication devices, ensure that cables are properly routed to avoid entanglement or damage.
- **MOLLE Attachments:** Use only compatible accessories with the MOLLE system to prevent detachment during use.
- **Emergency Situations:** Familiarize yourself with the quickrelease mechanisms and ensure they are functional for emergency situations.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the required components: LV119 FRONT OVERT PLATE BAG, Rear Bag, and Cummerbund.

2. Fitting the Plate Bag:

- Open the front flap of the Plate Bag.
- Insert the SAPI cut plate into the designated compartment, ensuring it fits within the specified dimensions.
- Close the flap securely.

3. Attaching the Cummerbund:

- Connect the Cummerbund to the Plate Bag using the sewn loops on the sides.
- Adjust the fit to ensure comfort and security.

4. MOLLE Configuration:

- Attach any desired accessories to the MOLLE field on the front bag.
- Ensure all attachments are secure and do not obstruct movement.

5. Routing Communication Cables:

- Use the open shoulders of the bag to route communication cables.
- Ensure cables are not pinched or damaged when adjusting the bag.

6. Final Adjustments:

- Once the bag is worn, make final adjustments to ensure a snug and comfortable fit.
- Check the positioning of all components to ensure they do not impede movement.

Disposal Instructions

- Dispose of the LV119 FRONT OVERT PLATE BAG in accordance with local regulations.
- Do not incinerate the bag, as it may release harmful substances.
- If the bag is damaged beyond repair, consider recycling materials where possible.

Contact Information for Further Support

For any inquiries regarding safety, product use, or support, please refer to the manufacturer's contact details provided on the packaging or their official website.

By adhering to these safety instructions, you can ensure a safe and effective experience with your LV119 FRONT OVERT PLATE BAG. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk