

# VICKERS 2-TO-1 RED SWIVEL SLING - BLUE FORCE GEAR VICKERS 2-TO-1 RED SWIVEL SLING MULTICAM

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

While 2-point slings are ideal for most situations, there are times, like deploying from a vehicle or fighting in complex structures, when a 1-point sling has a clear advantage. Combining Blue Force Gear's new polymer Burnsed Socket and patented RED Swivel, the Vickers 221 Sling allows users to switch from 2-point to 1-point mode instantly by pulling on the RED Swivel knob and reinserting it in to the Burnsed Socket at the rear of the receiver. The instantaneous adjustability of the sling is still maintained in both 1 and 2 point modes. Constructed similar to the world's standard Vickers Combat Applications Sling™, a RED™ Swivel is sewn to the front of the sling towards the muzzle. A standard push button swivel and new molded Burnsed Socket are woven onto the rear allowing full adjustability of the sling for use with or without body armor. The 221™ Sling fits any weapon with two QD sling swivel sockets with the rear socket towards the end of the receiver. For SCARS, Sigs, HKs, or other weapon systems with eyelets at the rear of the receiver, a Universal Wire Loop with Push Button Socket can be added instead of the included push button socket. Sling Build: 1.25" sling webbing 2.00" tubular webbing with closed cell foam padding for padded models Invista solution dyed CORDURA® webbing ITW GhilleTex™ Acetal hardware - a military grade, low IR plastic RED™ Swivel Build: Machined steel, phosphated for maximum corrosion resistance Nylon coated, double crimped directly to 7 strand stainless steel aircraft cable Textured spheroid-conical shaped pull knob Stainless Steel internals



## Attributes

- Name: [BLUE FORCE GEAR VICKERS 2-TO-1 RED SWIVEL SLING MULTICAM](#)
- Manufacturer: [BLUE FORCE GEAR](#)
- Product no.: 430100701
- Mfr. No.: VCAS-2TO1-RED-125-AA-MC
- Colour: Multi-Cam
- Material: Nylon
- Style: 2-point Sling
- Width: 1.25"
- Delivery weight: 0.186kg
- Shipping height: 51mm
- Shipping width: 127mm
- Shipping length: 127mm
- UPC: 814520019943

## Item details

Made in USA

# Table of Contents

- Startpage
- Vickers 2to1 Red Swivel Sling Safety Instruction Guide
- About Us

# Vickers 2to1 Red Swivel Sling Safety Instruction Guide

## Introduction

Thank you for choosing the Vickers 2to1 Red Swivel Sling by Blue Force Gear. This guide provides essential safety instructions to ensure the safe use and maintenance of your sling. Please read this document carefully to understand how to use the product safely and effectively.

## General Safety Guidelines

- Ensure that the sling is suitable for your specific weapon type before use.
- Inspect the sling for any signs of wear or damage before each use.
- Do not exceed the weight limit specified by the manufacturer.
- Always use the sling in accordance with the manufacturer's instructions.
- Keep the sling out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- **Proper Fit:** Ensure that the sling is adjusted properly for your body size and weapon type to prevent slippage or accidental release.
- **Avoid Entanglement:** Be cautious of the sling's positioning to avoid entanglement with other equipment or obstacles.
- **Check Hardware:** Regularly check the condition of the hardware, including the RED Swivel and Burnsed Socket, for any signs of wear or malfunction.
- **Training:** Familiarize yourself with the sling's operation in a safe environment before using it in the field.
- **Body Armor:** If using body armor, ensure that the sling is adjusted to accommodate for it without compromising safety.

## Instructions for Installation and Usage

### 1. Installation:

- Identify the two QD sling swivel sockets on your weapon.
- Attach the front of the sling to the front socket using the RED Swivel.
- Attach the rear of the sling to the rear socket using the included push button socket or Universal Wire Loop if necessary.

### 2. Adjusting the Sling:

- To adjust the length of the sling, use the Acetal triglides located on the sling.
- Ensure the sling is snug but allows for comfortable movement.

### 3. Switching Modes:

- To switch from 2point to 1point mode, pull on the RED Swivel knob.
- Reinserting the knob into the Burnsed Socket at the rear of the receiver will secure the sling in 1point mode.
- Ensure the adjustment is secure before use.

### 4. Usage:

- Always maintain a firm grip on your weapon when using the sling.
- Be aware of your surroundings to prevent accidental injury to yourself or others.
- Practice transitioning between modes in a controlled environment.

## **Disposal Instructions**

- Dispose of the sling in accordance with local regulations.
- If the sling is damaged beyond repair, ensure that it is disposed of in a manner that prevents accidental use.
- Recycle materials where possible, following local recycling guidelines.

## **Contact Information for Further Support**

For any inquiries regarding safety or product issues, please contact the manufacturer directly through the provided customer support channels.

By following these guidelines, you can ensure the safe and effective use of the Vickers 2to1 Red Swivel Sling. Thank you for prioritizing safety and responsible usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)