

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (LARGE) - MULTICAM ARID

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(LARGE\) - MULTICAM ARID](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101913

- Mfr. No.: PC-FO-MA-LG
- Colour: Multi-Cam Arid
- Delivery weight: 0.207kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 267mm

Item details

Made in USA

Table of Contents

- Startpage
- LV119 Front Overt Plate Bag Safety Instruction Guide
- About Us

LV119 Front Overt Plate Bag Safety Instruction Guide

Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to enhance your operational capabilities while ensuring safety and comfort. Please read this safety instruction guide carefully to ensure proper use and maintenance of your plate bag.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the LV119 Front Overt Plate Bag. This product is designed to comply with EU safety regulations.
- **Enhanced Recalls:** Be aware of standardized recall notices. If this product is deemed unsafe, you will be informed about free remedies.
- **Online Shopping:** If purchased online, know that you have the same safety protections as if you bought it in a physical store.
- **Special Consumer Focus:** Extra precautions are taken for vulnerable groups. Ensure that children do not use this product without adult supervision.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point for this product.
- **Rapid Alerts:** Stay informed about safety updates through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a Rear Bag and Cummerbund for proper operation. Use only compatible accessories.
- **Weight Limitations:** Ensure that the total weight of the equipment does not exceed the recommended limits for safety and comfort.
- **Fitment:** The bag is designed for United States Standard Issue SAPI cut plates. Ensure that the plates fit within the specified dimensions:
 - Medium: 10" x 12.5"
 - Large: 10.25" x 13.25"
 - Extra Large: 11" x 14.00"
 - Thickness: Maximum of 1.20"
- **Avoid Modifications:** Do not alter the bag or its components. Modifications can compromise safety and functionality.
- **Regular Inspections:** Frequently check the bag for any signs of wear, damage, or malfunction. Replace any damaged components immediately.

Instructions for Installation and Usage

1. Assemble the System:

- Attach the Rear Bag and Cummerbund as per the provided instructions.
- Ensure all connections are secure and tight.

2. Fitting the Plate:

- Insert the SAPI cut plate into the designated compartment of the LV119 Front Overt Plate Bag.
- Ensure that the plate fits snugly and does not exceed the specified dimensions.

3. Adjusting the Cummerbund:

- Adjust the cummerbund to fit comfortably around your waist. It should not be too tight or too loose.
- Use First Spear TUBES™ for easy adjustments and secure fit.

4. Using the MOLLE Field:

- Utilize the MOLLE field for attaching accessories such as pouches and Velcro patches.
- Ensure that any additional items do not obstruct the functionality of the plate bag.

5. Communication Setup:

- Use the PTT/Porkchop Loop to attach communication devices.
- Route communication cables through the designated openings to prevent tangling.

6. Wearing the Plate Bag:

- Put on the plate bag and adjust the shoulder straps for comfort.
- Ensure that the bag sits securely on your body and does not impede movement.

Disposal Instructions

- **Environmental Considerations:** Dispose of the LV119 Front Overt Plate Bag responsibly. Follow local regulations for the disposal of textiles and plastics.
- **Recycling:** If possible, recycle components of the bag that are no longer usable. Check with local recycling facilities for guidelines.
- **Hazardous Materials:** Do not burn the bag, as it may contain materials that could release harmful substances when incinerated.

Contact Information for Further Support

For any questions or concerns regarding the LV119 Front Overt Plate Bag, please refer to the designated EU contact point for assistance.

Thank you for prioritizing safety and compliance while using the LV119 Front Overt Plate Bag. Your careful adherence to these guidelines will help ensure your safety and the effective performance of the product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk