

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (LARGE) - WOLF GREY

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(LARGE\) - WOLF GREY](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101917

- Mfr. No.: PC-FO-WG-LG
- Colour: Wolf Grey
- Delivery weight: 0.207kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 267mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- LV119 Front Overt Plate Bag Safety Instruction Guide
- About Us

# LV119 Front Overt Plate Bag Safety Instruction Guide

## Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This guide provides important safety information, usage instructions, and disposal guidelines to ensure your safe and effective use of the product. Please read this guide carefully before using the LV119 Front Overt Plate Bag.

## General Safety Guidelines

- **Product Safety:** The LV119 Front Overt Plate Bag is designed for safe use when following the provided instructions. Ensure that you understand all safety guidelines before use.
- **Enhanced Recalls:** In the event of a product recall, you will receive standardized notices and remedies. Stay informed about updates regarding this product.
- **Online Shopping Protections:** If purchased online, the LV119 Front Overt Plate Bag is covered by the same safety requirements as products bought in physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is kept out of reach of minors.
- **EU Contact Point:** For safety inquiries, please refer to the EU-based contact information provided at the time of purchase.
- **Rapid Alerts:** Stay updated on any safety alerts related to this product through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a Rear Bag and Cummerbund for proper operation. Ensure you have the compatible components before use.
- **Proper Fitment:** This plate bag is designed to fit United States Standard Issue SAPI cut plates. Ensure your plates meet the following specifications:
  - Medium: 10" x 12.5"
  - Large: 10.25" x 13.25"
  - Extra Large: 11" x 14.00"
  - Thickness: Maximum of 1.20"
- **Avoid Overloading:** Do not exceed the recommended weight limits for attachments or accessories on the plate bag.
- **Routine Inspections:** Regularly check the condition of the bag, including stitching and attachment points, to ensure it remains safe for use.
- **Communication Equipment:** When using communication devices, ensure cables are properly routed to avoid entanglement or damage.

## Instructions for Installation and Usage

### • Installation:

1. Attach the Rear Bag and Cummerbund to the LV119 Front Overt Plate Bag as per the manufacturer's instructions.
2. Ensure that the attachment points are secure and that there is no excess slack in the straps.

### • Usage:

1. Place the appropriate SAPI cut plates into the designated compartments of the plate bag.
2. Adjust the cummerbund and shoulder straps for a snug fit to prevent movement during use.

3. Utilize the MOLLE field for attaching pouches or accessories as needed.
4. Ensure that any Velcro attachments are securely fastened.

- **Communication Cable Routing:**

1. Route communication cables through the open shoulders of the plate bag.
2. Use the small routing points by the 1 Inch ITW NEXUS buckles on the chest for PTT cable routing.

- **Maintenance:**

1. Clean the plate bag with a damp cloth and mild soap when necessary.
2. Avoid using harsh chemicals or abrasive materials that may damage the fabric.

## Disposal Instructions

- **Environmental Considerations:** Dispose of the LV119 Front Overt Plate Bag in accordance with local regulations regarding textile and plastic waste.
- **Recycling:** If possible, recycle the bag components to minimize environmental impact.
- **Safety Precautions:** Ensure that the product is completely clean and free of any hazardous materials before disposal.

## Contact Information for Further Support

For any questions or concerns regarding the LV119 Front Overt Plate Bag, please refer to the contact information provided at the time of purchase or consult the manufacturer's website for additional resources.

By following these guidelines, you can ensure the safe and effective use of the LV119 Front Overt Plate Bag. Thank you for your attention to safety and for choosing Spiritus Systems.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)