

LV-119 FRONT OVERT PLATE BAG (MEDIUM) - MULTICAM ARID

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [LV-119 FRONT OVERT PLATE BAG \(MEDIUM\) - MULTICAM ARID](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101918
- Mfr. No.: PC-FO-MA-MD

- Color: Multi-Cam Arid
- Delivery weight: 0.193kg
- Shipping height: 38mm
- Shipping width: 184mm
- Shipping length: 267mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LV119 Front Overt Plate Bag
- About Us

Safety Instruction Guide for LV119 Front Overt Plate Bag

Introduction

Thank you for choosing the LV119 Front Overt Plate Bag. This product is designed to enhance your tactical capabilities while ensuring your safety. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- **Product Safety:** Ensure that the LV119 Front Overt Plate Bag is used according to the instructions provided. This product is not a toy and should not be used by children.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. Follow the instructions provided in recall notices.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety regulations similar to those in physical stores.
- **Special Consumer Focus:** Extra care should be taken if the product is being used in environments with vulnerable individuals.
- **EU Contact Point:** For any safety inquiries, refer to the designated contact point in the EU.
- **Rapid Alerts:** Check the EU Safety Gate platform for updates regarding unsafe products.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a compatible Rear Bag and Cummerbund for proper operation. Ensure all components are compatible.
- **Weight Distribution:** When loaded, ensure that the weight is evenly distributed to prevent strain or injury.
- **Cable Routing:** Use the designated routing points for communication cables to avoid entanglement during use.
- **Proper Fitment:** Ensure that the bag fits the appropriate plate size as specified in the product description. Incorrect fitment may compromise safety.
- **Avoid Modifications:** Do not modify the product or use unapproved accessories, as this may affect safety and performance.
- **Inspection:** Regularly inspect the plate bag for signs of wear or damage. Replace any damaged components immediately.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have all necessary components: LV119 Front Overt Plate Bag, Rear Bag, and Cummerbund.
- Verify that your plates meet the specified dimensions:
 - Medium 10" x 12.5"
 - Large 10.25" x 13.25"
 - Extra Large 11" x 14.00"
 - Thickness MAXIMUM of 1.20"

2. Installation:

- Open the front plate bag and insert the appropriate plate into the designated compartment.
- Secure the plate using the Velcro and any additional fasteners provided.

- Attach the Rear Bag and Cummerbund using the provided clips or buckles. Ensure they are securely fastened.

3. Usage:

- Wear the plate bag over appropriate clothing for comfort and concealment.
- Adjust the shoulder straps and cummerbund for a snug fit without restricting movement.
- Use the MOLLE field to attach pouches, patches, or other accessories as needed.

4. Communication Setup:

- Route communication cables through the designated openings to prevent tangling.
- Ensure that the Push To Talk (PTT) loop is accessible for ease of communication.

5. PostUse Care:

- After use, remove any accessories and inspect the bag for damage.
- Clean the bag according to the manufacturer's guidelines to maintain its integrity.

Disposal Instructions

- **Environmental Considerations:** Dispose of the product in accordance with local regulations for textile and plastic waste.
- **Recycling:** If possible, recycle components of the bag that are made from recyclable materials.
- **Hazardous Waste:** Do not dispose of the product in regular household waste if it contains hazardous materials. Follow local guidelines for hazardous waste disposal.

Contact Information for Further Support

For any questions or concerns regarding the LV119 Front Overt Plate Bag, please refer to the designated contact point in the EU for safety inquiries.

By following this safety instruction guide, you can ensure the safe and effective use of your LV119 Front Overt Plate Bag. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at