

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (MEDIUM) - MULTICAM TROPIC

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(MEDIUM\) - MULTICAM TROPIC](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101920

- Mfr. No.: PC-FO-MT-MD
- Colour: Multi-Cam Tropic
- Delivery weight: 0.193kg
- Shipping height: 38mm
- Shipping width: 184mm
- Shipping length: 267mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LV119 Front Overt Plate Bag
- About Us

Safety Instruction Guide for LV119 Front Overt Plate Bag

Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This guide provides essential safety instructions and usage information to ensure your safety and the optimal performance of the product. Please read this guide carefully before using the plate bag.

General Safety Guidelines

- Ensure that the plate bag is used in accordance with the manufacturer's instructions.
- Inspect the plate bag regularly for any signs of wear, damage, or malfunction.
- Use the plate bag only with compatible accessories as specified by the manufacturer.
- Keep the plate bag out of reach of children to prevent any potential hazards.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a Rear Bag and Cummerbund for proper operation. Ensure you have all necessary components before use.
- **Plate Fitment:** The carrier is designed to fit United States Standard Issue SAPI cut plates. It accommodates thicker plates but will not fit plates that do not meet the specified dimensions:
 - Medium: 10" x 12.5"
 - Large: 10.25" x 13.25"
 - Extra Large: 11" x 14.00"
 - Thickness: Maximum of 1.20"
- **Communication Equipment:** Ensure that communication cables are routed properly to avoid snagging or damage during use.
- **Cummerbund and Shoulder Covers:** Crosspollination of accessories is permitted; however, ensure compatibility to maintain safety and functionality.
- **LowProfile Use:** If using under a cover shirt, ensure that all removable clips are secured to avoid accidental detachment.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary components: LV119 Front Overt Plate Bag, Rear Bag, Cummerbund, and any additional accessories.
- Inspect all components for damage or wear before use.

2. Installation:

- Attach the Rear Bag securely to the LV119 Front Overt Plate Bag.
- Connect the Cummerbund to the appropriate attachment points on both the Front and Rear Bags.
- If using placards or other accessories, ensure they are securely attached to the MOLLE fields and Velcro areas.

3. Usage:

- Adjust the fit of the plate bag and cummerbund to ensure comfort and security.
- Route communication cables through the designated points to avoid interference with movement.

- Regularly check the integrity of all attachments and components during use.

4. Maintenance:

- Clean the plate bag according to manufacturer guidelines, avoiding harsh chemicals that may degrade materials.
- Store the plate bag in a cool, dry place when not in use to prevent damage.

Disposal Instructions

- Dispose of the LV119 Front Overt Plate Bag in accordance with local regulations. Check with local waste management authorities for guidance on the disposal of textile and plastic materials.
- If the product is damaged beyond repair, ensure that it is disposed of in a manner that prevents it from being reused or repurposed inappropriately.

Contact Information for Further Support

For any inquiries or concerns regarding the LV119 Front Overt Plate Bag, please refer to the manufacturer's customer support resources. It is important to have access to professional guidance for safetyrelated questions.

Thank you for adhering to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk