

LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - MULTICAM ARID

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - MULTICAM ARID](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101925

- Mfr. No.: PC-FO-MA-XL
- Colour: Multi-Cam Arid
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LV119 Front Overt Plate Bag
- About Us

Safety Instruction Guide for LV119 Front Overt Plate Bag

Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to provide enhanced safety and functionality for users in various operational settings. This guide outlines important safety information and instructions to ensure your safe use of the product in accordance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** The LV119 Front Overt Plate Bag is designed to ensure safe use. Always follow the guidelines to avoid risks.
- **Enhanced Recalls:** In the event of a product recall, information will be provided in a standardized format, and remedies will be offered at no cost.
- **Online Shopping:** Whether purchased online or instore, this product meets the same safety standards.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, such as children.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point for assistance.
- **Rapid Alerts:** Stay informed about any safety updates or product recalls via the Safety Gate system.

Specific Safety Precautions for Use

- Ensure that the LV119 Front Overt Plate Bag is used in conjunction with a compatible Rear Bag and Cummerbund for optimal performance.
- Regularly check for wear and tear on the bag and its components to prevent failure during use.
- Avoid using the bag with plates that exceed the specified dimensions:
 - Medium: 10" x 12.5"
 - Large: 10.25" x 13.25"
 - Extra Large: 11" x 14.00"
 - Thickness: Maximum of 1.20"
- Ensure that all accessories are compatible with the LV119 system before use.
- Follow all installation instructions carefully to avoid improper setup that could lead to safety hazards.

Instructions for Installation and Usage

1. **Compatibility Check:** Before installation, verify that you have the necessary components:
 - Rear Bag
 - Cummerbund
 - Compatible plates (adhering to size and thickness specifications)
2. **Attachment of Components:**
 - Attach the Rear Bag to the LV119 Front Overt Plate Bag using the provided attachment points.
 - Secure the Cummerbund to the appropriate attachment points on the bag.
3. **Adjusting Fit:**
 - Adjust the straps and fittings to ensure a snug and secure fit. The bag should not move excessively during use.

4. Using MOLLE Fields:

- Utilize the 3 Row / 4 Column MOLLE field on the front of the bag for attaching accessories. Ensure that attachments do not obstruct the use of the bag or create hazards.

5. Communication Setup:

- If using communication devices, route cables through the designated open shoulder areas to avoid snagging or damage.

6. Push To Talk (PTT) Setup:

- Attach your PTT device to the PTT/Porkchop Loop located on either side of the front plate bag for easy access.

7. Final Check:

- Before use, perform a final check to ensure all components are securely attached and that the bag is properly fitted.

Disposal Instructions

- Dispose of the LV119 Front Overt Plate Bag in accordance with local waste management regulations.
- If the product is damaged or no longer needed, ensure that it is disposed of in a way that prevents it from being used improperly.

Contact Information for Further Support

For any inquiries regarding product safety, installation, or usage, please refer to the designated EU contact point for assistance.

By following these guidelines, you can ensure safe and effective use of the LV119 Front Overt Plate Bag. Always prioritize safety and stay informed about any updates or recalls related to your product. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk