

LV-119 FRONT OVERT PLATE BAG (X-LARGE) - MULTICAM

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



Attributes

- Name: [LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - MULTICAM](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101927
- Mfr. No.: PC-FO-MC-XL

- Color: Multi-Cam
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG
- About Us

Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

Introduction

Thank you for choosing the LV119 FRONT OVERT PLATE BAG. This product is designed to provide users with a high performance solution for carrying protective plates in various operational environments. To ensure your safety and the effective use of this product, please read and follow the guidelines outlined in this instruction guide.

General Safety Guidelines

- **Product Safety:** Ensure that the LV119 FRONT OVERT PLATE BAG is used as intended. This product is designed for nonfood applications and should not be used for purposes other than those specified.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive notice of a recall, follow the instructions provided to ensure your safety.
- **Online Shopping:** When purchasing online, ensure that the retailer meets safety standards and provides clear information about the product.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to your retailer or manufacturer for the appropriate EU contact.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates regarding product safety and potential hazards.

Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a Rear Bag and Cummerbund for proper operation. Ensure that all components are compatible before use.
- **Weight Limitations:** Do not exceed the recommended weight capacity of the bag. Overloading may compromise safety and performance.
- **Proper Fitting:** Ensure that the bag fits securely and comfortably. Adjust straps as necessary to prevent shifting during use.
- **Avoid Modifications:** Do not alter or modify the bag in any way. Unauthorized modifications may affect safety and performance.
- **Inspect Before Use:** Regularly inspect the bag for wear and tear. Do not use if any part is damaged or compromised.

Instructions for Installation and Usage

1. Assembly:

- Attach the Rear Bag and Cummerbund as per the manufacturer's instructions.
- Ensure all connections are secure before use.

2. Adjusting Fit:

- Adjust shoulder straps and cummerbund for a snug fit.
- Ensure that the bag does not obstruct movement or visibility.

3. MOLLE Field Utilization:

- Use the MOLLE field for attaching accessories such as pouches and placards.
- Ensure that attached items do not exceed the weight limit and are securely fastened.

4. **Communication Cable Routing:**

- Route communication cables through the designated openings for optimal functionality.
- Avoid tangling or obstructing movement with cables.

5. **Using Push To Talk (PTT) Support:**

- Attach communication devices to the provided PTT/Porkchop Loops.
- Ensure that all connections are secure and functional.

6. **Maintenance:**

- Clean the bag regularly with a damp cloth. Avoid harsh chemicals that may damage the material.
- Store in a cool, dry place when not in use.

Disposal Instructions

- **Environmental Considerations:** Dispose of the LV119 FRONT OVERT PLATE BAG in accordance with local regulations. Do not dispose of in regular household waste.
- **Recycling:** If applicable, check if the materials can be recycled. Follow local guidelines for proper disposal.

Contact Information for Further Support

For any questions or concerns regarding the LV119 FRONT OVERT PLATE BAG, please consult your retailer or manufacturer for further assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at