

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - MULTICAM TROPIC

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - MULTICAM TROPIC](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101928

- Mfr. No.: PC-FO-MT-XL
- Colour: Multi-Cam Tropic
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG
- About Us

# Safety Instruction Guide for LV119 FRONT OVERT PLATE BAG

## Introduction

Thank you for choosing the LV119 FRONT OVERT PLATE BAG by Spiritus Systems. This guide provides essential safety instructions and usage information to ensure that you can safely and effectively utilize this product. Please read this guide carefully before use.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the LV119 FRONT OVERT PLATE BAG by following all instructions. This product is designed to meet safety standards for nonfood items.
- **Enhanced Recalls:** In the event of a safety issue, recall notices will be issued. Stay informed about recalls through official channels.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements as mandated by EU regulations.
- **Special Consumer Focus:** Extra care should be taken when the product is used by vulnerable groups. Ensure that children do not use this product without adult supervision.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Stay updated on safety alerts related to this product via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 FRONT OVERT PLATE BAG requires a compatible Rear Bag and Cummerbund for proper operation. Ensure all components are from the LV119 SYSTEM.
- **Weight Limit:** Do not exceed the maximum weight limit of the bag. Carry only items that are necessary and do not overload the bag.
- **Proper Fit:** Ensure that the plates used with the bag fit within the specified dimensions:
  - Medium 10" x 12.5"
  - Large 10.25" x 13.25"
  - Extra Large 11" x 14.00"
  - Thickness MAXIMUM of 1.20"
- **Attachment Security:** Always ensure that all attachments, including placards and pouches, are securely fastened before use.
- **Cable Management:** Use the designated cable routing points to avoid entanglement or damage to communication cables.

## Instructions for Installation and Usage

### 1. Assembly:

- Attach the Rear Bag and Cummerbund to the LV119 FRONT OVERT PLATE BAG as per the manufacturer's instructions.
- Ensure that all components are securely connected.

### 2. Fitting the Plate:

- Insert the plate into the front compartment of the bag, ensuring it fits snugly within the specified dimensions.
- Check that the plate is properly seated and does not shift during use.

### **3. Adjusting the Cummerbund:**

- Adjust the cummerbund to fit securely around the waist. Ensure it is comfortable but snug enough to prevent movement during activity.

### **4. Using MOLLE Fields:**

- Utilize the MOLLE field for attaching pouches or accessories. Ensure that they are securely fastened and do not obstruct movement.
- Use the Velcro field to attach placards or patches as needed.

### **5. Communication Setup:**

- Route communication cables through the designated openings to avoid interference with movement.
- Attach the Push To Talk (PTT) device securely using the PTT/Porkchop Loop.

### **6. Maintenance:**

- Regularly check all components for wear and tear. Replace any damaged parts immediately.
- Clean the bag using a damp cloth and mild detergent. Avoid harsh chemicals that may damage the materials.

## **Disposal Instructions**

- **Environmental Responsibility:** When the LV119 FRONT OVERT PLATE BAG reaches the end of its life, dispose of it responsibly.
- **Recycling:** Check local regulations for recycling options for textiles and plastic components.
- **Hazardous Materials:** If the product contains any hazardous materials, follow local waste disposal guidelines to ensure safe disposal.

## **Contact Information for Further Support**

For any questions or concerns regarding the use or safety of the LV119 FRONT OVERT PLATE BAG, please consult the manufacturer's support resources or the designated EU contact point.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using the LV119 FRONT OVERT PLATE BAG.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)