

# LV-119 FRONT OVERT PLATE BAG - SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG (X-LARGE) - WOLF GREY

[Home](#)

NOTE: The LV/119 O V E R T Front Plate Bag requires a Rear Bag and Cummerbund for proper operation. The LV/119 SYSTEM is a group of products that work together to give end-users the ability to scale their equipment to their current needs. The fact that this is a cohesive system means that users can mix and match accessories in most cases. For example: One could take a C O V E R T Front or Rear Plate bag and use it with an O V E R T Front and Rear Plate Bag. Users may also also cross pollinate cummerbunds, shoulder covers, and other parts that will be available. The SYSTEM encompasses many parts, some of which are currently available and some that are in development, such as Back Panels of various types, MOLLE cummerbunds, First Spear TUBES™ integrations, and different placards. The O V E R T shares the same profile as the C O V E R T plate bags but with modifications that make it more suitable for high profile operations. The front bag features a 3 Row / 4 Column MOLLE field that doubles as a 6" x 3" Velcro Field. This may be used to attach End User Devices (EUDs), such as those made by KAGWERKS or Juggernaut Defense. The Velcro may be used to mount placards, patches, and IR identifiers. The MOLLE can also be used to mount administrative pouches, frag grenade pouches, or anything else users may require quick need access to. Every front plate bag comes standard with sewn loops on the sides for attaching First Spear TUBES™ for use with our TUBES™ cummerbund. Placard and Chest Rig Integration. All LV/119 Plate Bags offer placard and chest rig integration via removable 1 Inch ITW NEXUS Buckles. These clips are removable, allowing users to reduce the signature of the plate bag if it is being worn under a cover shirt or being utilized in a low-profile role. Push To Talk Support. Each O V E R T front plate bag comes standard with a PTT/Porkchop Loop on either side. Communication Cable Routing. The Modern Warfighter and Law Enforcement Officer has a radio. To date, the majority of manufacturers have not taken end-user communications needs in to their design considerations - we endeavor to break that paradigm. The O V E R T front bag offers open shoulders to facilitate commo cable routing inside the plate bags and over the shoulders. It also offers small routing points by the 1 Inch ITW NEXUS buckles on the chest - easily accommodating PTT cable routing. Plate Fitment. The carrier was designed to fit United States Standard Issue SAPI cut plates, but it will fit other cuts as well as long as they fit within the specifications listed below. The bags were built to accommodate "thicker" plates, but they will not fit plates do not fall within the measurements listed. Medium -10" x 12.5" Large - 10.25" x 13.25" Extra Large- 11" x 14.00" Thickness - MAXIMUM of 1.20" NOTE: The LV119 Front Plate Bag is part of the LV119 Plate Carrier System. This item does not include a Rear Plate Bag, Cummerbund, Shoulder Covers, Placards, or any other accessories. Additional components are required for proper use. Some images shown with optional accessories, sold separately.



## Attributes

- Name: [SPIRITUS SYSTEMS LV-119 FRONT OVERT PLATE BAG \(X-LARGE\) - WOLF GREY](#)
- Manufacturer: [SPIRITUS SYSTEMS](#)
- Product no.: 430101931

- Mfr. No.: PC-FO-WG-XL
- Colour: Wolf Grey
- Delivery weight: 0.227kg
- Shipping height: 38mm
- Shipping width: 197mm
- Shipping length: 292mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for LV119 Front Overt Plate Bag
- About Us

# Safety Instruction Guide for LV119 Front Overt Plate Bag

## Introduction

Thank you for choosing the LV119 Front Overt Plate Bag by Spiritus Systems. This product is designed to enhance your ability to carry essential equipment safely and efficiently. It is crucial to follow the safety instructions outlined in this guide to ensure proper use and avoid potential hazards.

## General Safety Guidelines

- **Product Safety:** Ensure that you are familiar with the safe use of this product. Follow all guidelines to minimize risks associated with its operation.
- **Enhanced Recalls:** Stay informed about any recall notices related to this product. If you receive a recall notice, follow the instructions provided for returning or remedying the product.
- **Online Shopping Safety:** If you purchased this product online, ensure that the platform complies with safety regulations similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is kept out of reach of vulnerable individuals.
- **EU Contact Point:** Should you have safety inquiries, refer to the manufacturer's website or contact their support team for assistance.
- **Rapid Alerts:** Monitor updates on unsafe products through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Compatibility:** The LV119 Front Overt Plate Bag requires a Rear Bag and Cummerbund for proper operation. Ensure you have the compatible components before use.
- **Proper Fitment:** This product is designed to fit United States Standard Issue SAPI cut plates. Ensure that your plates meet the following dimensions:
  - Medium: 10" x 12.5"
  - Large: 10.25" x 13.25"
  - Extra Large: 11" x 14.00"
  - Thickness: Maximum of 1.20"
- **Attachment Points:** Use the sewn loops on the sides for attaching First Spear TUBES™ only. Do not use for any other purpose.
- **Cable Routing:** Ensure that communication cables are routed properly to avoid entanglement or damage. Follow the designated routing points provided in the product design.
- **Weight Distribution:** Be mindful of the weight of equipment attached to the MOLLE field and ensure it is evenly distributed to avoid discomfort or instability.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure you have the LV119 Front Overt Plate Bag, a compatible Rear Bag, and Cummerbund.
- Attach the Rear Bag to the plate bag using the provided attachment points.
- Secure the Cummerbund to both the Front and Rear Bags, ensuring a snug fit.

### 2. Usage:

- Place the appropriate SAPI cut plates inside the Front Overt Plate Bag.
- Adjust the straps and buckles for a secure fit around your torso.
- Attach any additional accessories, such as placards or pouches, to the MOLLE field as needed.

- Ensure that the Push To Talk (PTT) loop is accessible, and communication cables are routed properly.

### **3. Maintenance:**

- Regularly inspect the bag for signs of wear or damage.
- Clean the bag according to the manufacturer's instructions to maintain its integrity and appearance.

## **Disposal Instructions**

- Dispose of the LV119 Front Overt Plate Bag in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling components where possible to minimize environmental impact.

## **Contact Information for Further Support**

For any questions or concerns regarding the LV119 Front Overt Plate Bag, please refer to the manufacturer's website or customer support resources. It is essential to have access to proper assistance for safe and effective use of your product.

By following these guidelines, you can ensure a safer experience with your LV119 Front Overt Plate Bag. Thank you for your commitment to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)