

# HEATSEEKER CHASSIS FOR RUGER AMERICAN SHORT ACTION - SHARPS BROS HEATSEEKER CHASSIS W/14" HANDGUARD FOR RUGER AMERICAN SA

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

Heatseeker is an innovative, affordable chassis system for your bolt action rifle, allowing you to easily upgrade a traditional factory rifle stock for improved versatility and a sleek, modern appearance. This 1lb, 3 ounce chassis is machined from billet (solid block) high-strength 6061-T6 aluminum and includes a 10 ounce, 14" handguard cut from a unique extrusion shape exclusive to Sharps Bros. Both the chassis body and the handguard are finished in a matte black Cerakote. The handguard features MLOK slots on 4 sides for various attachment options (light, bipod, night vision, ARCA rail...) and two quick disconnect fittings per side for sling attachment. Add your grip of choice with Heatseeker's standard AR15 grip interface. Heatseeker's built in AR buffer interface allows you to further customize your rifle with your preferred AR15 type stock as well. This offering is for the Ruger American Short Action (calibers: 308 WIN, 6.5 Creedmoor). This Heatseeker model for the Ruger American is compatible with AICS short action magazines from Magpul and Accuracy International. The Magpul model is recommended.



## Attributes

- Name: [SHARPS BROS HEATSEEKER CHASSIS W/14" HANDGUARD FOR RUGER AMERICAN SA](#)
- Manufacturer: [SHARPS BROS](#)
- Product no.: 430103247
- Mfr. No.: SBC02
- Action Type: Short
- Colour: Black
- Material: Aluminum
- Model: American Rifle
- Style: Chassis
- Weapon type: Ruger
- Weight: 1.188 lbs
- Delivery weight: 1.216kg
- Shipping height: 83mm
- Shipping width: 191mm
- Shipping length: 438mm
- UPC: 850869008804

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for HEATSEEKER CHASSIS FOR RUGER AMERICAN SHORT ACTION
- About Us

# Safety Instruction Guide for HEATSEEKER CHASSIS FOR RUGER AMERICAN SHORT ACTION

## Introduction

Thank you for choosing the HEATSEEKER CHASSIS for your Ruger American Short Action rifle. This innovative chassis system is designed to enhance the performance and versatility of your rifle. To ensure safe and optimal use of this product, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Always handle firearms responsibly and in accordance with local laws and regulations.
- Ensure that the HEATSEEKER CHASSIS is compatible with your specific Ruger American Short Action model before installation.
- Inspect the chassis and components for any signs of damage or wear before each use.
- Keep the chassis and all firearm components out of reach of children and unauthorized users.
- Store the chassis in a secure location when not in use.
- Follow all manufacturer instructions for the installation and use of the chassis.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before installing or handling the chassis.
- Always use the chassis in a safe environment, free from distractions and hazards.
- Wear appropriate safety gear, including eye protection, when using the rifle with the chassis.
- Do not exceed the manufacturer's recommended weight limit for attachments on the handguard.
- Regularly check the tightness of all screws and fittings after installation and prior to use.
- Be aware of your surroundings and ensure that the area is safe for shooting.
- Do not modify the chassis or its components in any way that may compromise safety.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the rifle is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation, including a torque wrench if required.

### 2. Installation:

- Remove the existing factory stock from the Ruger American Short Action.
- Align the HEATSEEKER CHASSIS with the action of the rifle.
- Secure the chassis to the action using the provided screws, ensuring they are tightened to the manufacturer's specifications.
- Attach the handguard to the chassis, ensuring that it is securely fastened.
- Install your preferred AR15 grip using the standard grip interface.

### 3. Usage:

- Once installed, check the functionality of the chassis and ensure all components are secure.
- Attach any accessories to the handguard using the MLOK slots, ensuring that they are compatible and securely mounted.
- Use the quick disconnect fittings for sling attachment as needed.

#### 4. PostUse:

- After use, clean the chassis and rifle according to the manufacturer's recommendations.
- Store the chassis in a secure location, preferably in a case or safe.

## Disposal Instructions

- Dispose of the HEATSEEKER CHASSIS in accordance with local regulations regarding electronic and metal waste.
- If the chassis is damaged beyond use, contact your local waste management facility for guidance on proper disposal methods.

## Contact Information for Further Support

For any questions or concerns regarding the HEATSEEKER CHASSIS, please refer to the manufacturer's website or customer support resources for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your HEATSEEKER CHASSIS for Ruger American Short Action. Thank you for your attention to safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)