

M17/M18 OPTIC MOUNTING PLATE WITH ACRO - MILSPEC M17/M18 OPTIC MOUNTING PLATE ACRO

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

OPF-M17, ACRO is precision machined from 4140 steel, and QPQ coated. Aimpoint ACRO P1/P2 requires the plates to adhere to Aimpoint ACRO TDP with tight tolerances, OPF-M17, ACRO has proven to be the best choice among professional users. OPF-M17, ACRO is compatible with MIL issued M17/M18. It is a drop in adapter for superb Aimpoint ACRO sights. It is identical to the Tangodown SSM-03. OPF-M17-ACRO is shipped with two M4 0.7mm x 6mm (torque value: 20 to 25 in·lb), a T20 key, and a packet of VC-3. Proudly designed and made in the USA.



Attributes

- Name: [MILSPEC M17/M18 OPTIC MOUNTING PLATE ACRO](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 430103575
- Mfr. No.: OPF-M17, ACRO
- Color: Black
- Fits / Used For: Aimpoint ARCO
- Height: 0.21"
- Make: Sig Sauer
- Model: P320 M17,P320 M18
- Weight: 1.15 lbs
- Delivery weight: 0.953kg
- Shipping height: 20mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 686162348008

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [M17/M18 Optic Mounting Plate Safety Instructions](#)
- [About Us](#)

M17/M18 Optic Mounting Plate Safety Instructions

Introduction

Thank you for choosing the M17/M18 Optic Mounting Plate with ACRO. This product is designed to provide a secure and reliable mounting solution for Aimpoint ACRO sights. Please read this safety instruction guide carefully to ensure safe usage and compliance with EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used for its intended purpose only.
- Regularly inspect the mounting plate for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay updated on recall notices and safety alerts via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always verify that the mounting plate is securely attached to the firearm before use.
- Do not exceed the specified torque value (20 to 25 in·lb) when installing the mounting plate.
- Ensure that the mounting plate is compatible with your specific Aimpoint ACRO model (P1/P2).
- Avoid using the product in extreme environmental conditions that may affect its performance.
- Do not modify the mounting plate in any way, as this may compromise its safety and functionality.

Instructions for Installation and Usage

1. Installation Steps:

- Gather the necessary tools: two M4 0.7mm x 6mm screws, a T20 key, and a packet of VC3.
- Align the mounting plate with the designated mounting area on your firearm.
- Insert the M4 screws into the mounting plate holes and tighten them using the T20 key.
- Ensure that the screws are tightened to the specified torque value (20 to 25 in·lb) for secure installation.

2. Usage Instructions:

- After installation, check the stability of the mounting plate before attaching the Aimpoint ACRO sight.
- Confirm that the sight is securely mounted and properly adjusted for your shooting needs.
- Follow the manufacturer's instructions for the Aimpoint ACRO sight to ensure optimal performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and metal products.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the M17/M18 Optic Mounting Plate with ACRO, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Enjoy using your M17/M18 Optic Mounting Plate responsibly and safely.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at