

# S-L2P BIPOD - HARRIS S-L2P BIPOD PICATINNY 9-13" SELF-LEVELING

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Features: Extends from 9" to 13" Direct attachment to a Picatinny Rail only  
Swivels (tilts) to compensate for uneven terrain. Quick Deploy spring loaded self-leveling legs. Ultralight weight - 14 oz Has a built-in sling swivel stud to attach the sling. Ideal for prone position or benchrest 100% Made in the USA.  
Material: Heat treated steel and hard alloys Hard Rubber Leg Caps Polymer knob Finish: Anodized Black



## Attributes

- Name: [HARRIS S-L2P BIPOD PICATINNY 9-13" SELF-LEVELING](#)
- Manufacturer: [HARRIS](#)
- Product no.: 430104195
- Mfr. No.: S-L2P
- Colour: Black
- Feet Material: Steel
- Height: 9 to 13
- Style: Picatinny
- Delivery weight: 0.399kg
- Shipping height: 76mm
- Shipping width: 127mm
- Shipping length: 254mm
- UPC: 051156113199

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [SL2P BIPOD Safety Instruction Guide](#)
- [About Us](#)

# SL2P BIPOD Safety Instruction Guide

## Introduction

Thank you for choosing the SL2P BIPOD by HARRIS. This bipod is designed for optimal performance and safety when used with firearms. It is essential to read and understand these safety instructions to ensure safe and effective use.

## General Safety Guidelines

- Always ensure that the bipod is securely attached to the Picatinny rail before use.
- Inspect the bipod for any damage or wear before each use. Do not use if damaged.
- Keep the bipod out of reach of children and unauthorized users.
- Always follow local laws and regulations regarding the use of firearms and accessories.
- When using the bipod, ensure that the area is clear of obstructions and bystanders.
- Use the bipod only for its intended purpose; do not modify the product.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Ensure that the bipod is set to the appropriate height (9" to 13") for your shooting position.
- When deploying the bipod, be cautious of the springloaded mechanism to avoid pinching.
- Always stabilize the bipod on a flat surface when in use. Avoid using it on uneven ground without proper adjustment.
- Be aware of the swivel feature; ensure that it is functioning correctly to avoid accidental tipping.
- Do not exceed the weight limit of the bipod as specified by the manufacturer.

## Instructions for Installation and Usage

### Installation

1. **Identify the Picatinny Rail:** Locate the Picatinny rail on your firearm.
2. **Align the Bipod:** Position the bipod so that its attachment mechanism aligns with the rail.
3. **Secure the Bipod:** Slide the bipod onto the rail until it clicks into place, ensuring it is firmly attached.

### Usage

1. **Adjust the Height:** Press the release mechanism to adjust the legs to your desired height (9" to 13").
2. **Stabilize the Bipod:** Ensure the bipod legs are fully extended and stable on the ground.
3. **Swivel Adjustment:** Use the swivel feature to level the bipod for uneven terrain.
4. **Shooting Position:** Assume a proper shooting position while using the bipod for support.

## Disposal Instructions

- Dispose of the bipod in accordance with local regulations regarding metal and plastic waste.
- Do not dispose of the bipod in regular household waste.
- Consider recycling materials where possible.

## Contact Information for Further Support

For any safety inquiries or support regarding the SL2P BIPOD, please refer to the contact details provided on the product packaging or the manufacturer's website.

By following these safety instructions, you can ensure a safer experience while using the SL2P BIPOD. Always

prioritize safety and responsible use.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)