

1A2-L2 BIPOD - HARRIS 1A2-L2 BIPOD SLING SWIVEL STUD 9-13" ROTATE SELF-LEVELING

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Features: Extends from 9" to 13" Quick Deploy spring loaded with self-leveling legs. Solid Base Attaches to the Sling Swivel Stud Ultralight weight - 12 oz Ideal for prone position or benchrest 100% Made in the USA. Material: Heat treated steel and hard alloys Hard Rubber Leg Caps Finish: Anodized Black



Attributes

- Name: [HARRIS 1A2-L2 BIPOD SLING SWIVEL STUD 9-13" ROTATE SELF-LEVELING](#)
- Manufacturer: [HARRIS](#)
- Product no.: 430104201
- Mfr. No.: 1A2-L2
- Colour: Black
- Feet Material: Steel
- Height: 9 to 13
- Style: Sling Swivel Stud
- Delivery weight: 0.34kg
- Shipping height: 76mm
- Shipping width: 127mm
- Shipping length: 229mm
- UPC: 051156113151

Item details

Made in USA

Table of Contents

- Startpage
- 1A2L2 BIPOD HARRIS Safety Instruction Guide
- About Us

1A2L2 BIPOD HARRIS Safety Instruction Guide

Introduction

Thank you for choosing the 1A2L2 BIPOD HARRIS. This guide provides essential safety instructions and information to ensure the safe and effective use of your bipod. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Ensure that the bipod is used only for its intended purpose.
- Regularly inspect the bipod for any signs of wear or damage before each use.
- Keep the bipod out of reach of children and vulnerable individuals.
- Do not exceed the weight limit of the bipod to avoid potential failure.
- Always use the bipod on stable and level surfaces to prevent tipping or instability.
- Follow all local laws and regulations regarding the use of bipods and firearms.

Specific Safety Precautions for Use

- **Weight Limit:** Do not exceed the recommended weight limit of the bipod.
- **Surface Stability:** Only use the bipod on solid, flat ground to avoid accidents.
- **Proper Attachment:** Ensure that the bipod is securely attached to the sling swivel stud before use.
- **Awareness:** Be aware of your surroundings and avoid using the bipod in areas with hazards such as steep inclines or unstable ground.
- **Child Safety:** Keep the bipod stored securely away from children and do not allow them to use it without adult supervision.

Instructions for Installation and Usage

1. Installation:

- Locate the sling swivel stud on your firearm.
- Align the bipod's attachment point with the sling swivel stud.
- Firmly attach the bipod to the sling swivel stud until it is secure. Ensure that it is locked in place.

2. Adjusting Height:

- To adjust the height, press the quick deploy spring mechanism.
- Extend the legs to the desired height, between 9 inches and 13 inches.
- Ensure that the legs are fully extended and locked in place before use.

3. Using the Bipod:

- Position the bipod on a stable surface.
- Ensure that the legs are evenly placed to maintain balance.
- Use the bipod to stabilize your firearm while in a prone position or at a benchrest.

4. PostUse Care:

- After use, retract the legs and detach the bipod from the sling swivel stud.
- Store the bipod in a dry place to prevent corrosion or damage.

Disposal Instructions

- Dispose of the bipod responsibly according to local regulations.
- If the bipod is damaged beyond repair, consider recycling the materials where possible.
- Do not dispose of the bipod in regular household waste.

Contact Information for Further Support

For safety inquiries or further assistance, please refer to the manufacturer's contact information provided on the packaging or product documentation.

Thank you for your attention to these safety guidelines. Enjoy your 1A2L2 BIPOD HARRIS responsibly and safely!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk