

NO. 2A BIPOD ADAPTER ROUND FLANGE NUT - HARRIS NO. 2A ADAPTER ROUND FLANGE NUT

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipod Accessories](#)

No. 2A Adapter 5/8-inch round head flange nut Works well Ruger Model 77 Synthetic stocks



Attributes

- Name: [HARRIS NO. 2A ADAPTER ROUND FLANGE NUT](#)
- Manufacturer: [HARRIS](#)
- Product no.: 430104205
- Mfr. No.: NO. 2A
- Attachment: Direct Mount
- Delivery weight: 0.032kg
- Shipping height: 19mm
- Shipping width: 114mm
- Shipping length: 178mm
- UPC: 051156000239

Item details

Made in USA

Table of Contents

- Startpage
- NO. 2A BIPOD ADAPTER ROUND FLANGE NUT SAFETY INSTRUCTIONS
- About Us

NO. 2A BIPOD ADAPTER ROUND FLANGE NUT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the NO. 2A Bipod Adapter Round Flange Nut. This product is designed to enhance the functionality of your Ruger Model 77 Synthetic stocks. It is essential to follow safety guidelines to ensure safe and effective use of this product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in this manual.
- Inspect the product for any damage or wear before each use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates regularly on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always use the NO. 2A Adapter in accordance with the manufacturer's instructions.
- Avoid using the product in extreme weather conditions that may affect performance.
- Do not exceed the maximum load capacity specified by the manufacturer.
- Ensure that all components are securely fastened before use to avoid accidents.
- If you experience any issues during use, stop immediately and consult the installation instructions.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools before beginning installation.
- Ensure that the work area is clean and free from obstructions.

2. Installation Steps

- Locate the mounting area on your Ruger Model 77 Synthetic stock.
- Align the NO. 2A Adapter with the mounting holes.
- Insert the 5/8inch round head flange nut into the adapter.
- Tighten the flange nut securely using the appropriate tool, ensuring it is not overtightened to avoid damage.

3. Usage

- Once installed, ensure that the bipod is securely attached before use.
- Regularly check the tightness of the flange nut during use to maintain safety.
- If the bipod adapter becomes loose, stop using it immediately and retighten or reinstall as necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged beyond repair, take it to a designated recycling facility.

Contact Information for Further Support

For any questions or concerns regarding the NO. 2A Bipod Adapter Round Flange Nut, please consult the retailer or manufacturer for assistance. Always refer to the product documentation for the most accurate information.

By following these safety instructions, you can ensure a safe and effective experience with your NO. 2A Bipod Adapter Round Flange Nut. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk