

# M-LOK INDEXER - ARISAKA DEFENSE INDEXER KEYMOD FINGERSTOP FOR PICATINNY RAILS

[Rifle Parts](#) > [Grip Parts](#) > [Foregrips](#)

**M-LOK INDEXER** The Arisaka Indexer is a continuation of our low profile, minimal control accessories. The Indexer can be used in a variety of ways, but the main intent is to place it between two fingers (usually index and middle). This typically places it further forward on the handguard, which also means it doesn't get in the way when transitioning to kneeling or prone shooting positions, where most people move their support hand towards the rear. Used in this manner, the Indexer makes it much easier to pull the rifle into your shoulder and maintain control while shooting. Additionally, the wider, flatter profile of the Indexer functions very well as a hand stop or barricade stop, and also works as a forward limit to prevent your fingers from slipping off shorter handguards onto a hot barrel or suppressor. **KeyMod** The Patent Pending Arisaka Indexer is a continuation of our low profile, minimal control accessories. It was developed due to end-user demand for a KeyMod version of our Finger Stop for Picatinny rails, and features a slim front-to-back profile and slight radius across both faces. Height: 1.0" Width: 0.58" Length: 1.5" Weight: 0.6 oz The Indexer is CNC machined from 6061-T651 aluminum and MIL-A-8625 Type III hard coat anodized. Requires a T15 Torx wrench for installation (not included). Hardware: Two BCM inverted KeyMod screws.

**Geissele SMR 416** The Patent Pending Arisaka Indexer is a continuation of our low profile, minimal control accessories. It was developed due to end-user demand for a Geissele SMR 416 version of our Finger Stop for Picatinny rails, and features a slim front-to-back profile and slight radius across both faces. Height: 1.0" Width: 0.58" Length: 2.2" Weight: 0.9 oz The Indexer is CNC machined from 6061-T651 aluminum and MIL-A-8625 Type III hard coat anodized. Requires an IP25 TorxPlus driver for installation (not included). Hardware: Two 10-32x3/8" Torx flat head screws.

**M-LOK** The Patent Pending Arisaka Indexer is a continuation of our low profile, minimal control accessories. It was developed due to end-user demand for an M-Lok version of our Finger Stop for Picatinny rails, and features a slim front-to-back profile and slight radius across both faces. Height: 1.0" Width: 0.58" Length: 1.5" Weight: 0.6 oz The Indexer is CNC machined from 6061-T651 aluminum and MIL-A-8625 Type III hard coat anodized. Requires an IP20/T20 Torx wrench for installation (not included). Hardware: Two M-Lok nuts and two 10-24x5/16" Torx button head screws. Made in the USA.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [ARISAKA DEFENSE INDEXER KEYMOD FINGERSTOP FOR PICATINNY RAILS](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104509
- Mfr. No.: IDX-K
- Attachment: -
- Colour: Black
- Length: 1.5
- Material: Aluminum
- Type: Keymod
- Delivery weight: 0.045kg
- Shipping height: 25mm

- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 601557939722

## **Item details**

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for MLOK INDEXER ARISAKA DEFENSE INDEXER KEYMOD FINGERSTOP FOR PICATINNY RAILS
- About Us

# **Safety Instruction Guide for MLOK INDEXER ARISAKA DEFENSE INDEXER KEYMOD FINGERSTOP FOR PICATINNY RAILS**

## **Introduction**

Thank you for choosing the MLOK INDEXER ARISAKA DEFENSE INDEXER KEYMOD FINGERSTOP FOR PICATINNY RAILS. This product is designed to enhance your shooting experience by providing a secure grip and improved control. To ensure safe and effective use, please read this safety instruction guide carefully.

## **General Safety Guidelines**

- Ensure that the product is installed correctly before use.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the product for any signs of wear or damage.
- Do not use the product if it is damaged or malfunctioning.
- Store the product in a safe place, away from children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## **Specific Safety Precautions for Use**

- **Installation:**

- Use the appropriate tools as specified for installation (T15 Torx wrench, IP25 TorxPlus driver, or IP20/T20 Torx wrench).
- Ensure all screws are tightened securely to prevent the Indexer from loosening during use.

- **Handling:**

- When transitioning between shooting positions, be cautious of your hand placement to avoid slipping.
- Be aware of the heat generated by the barrel or suppressor during shooting to prevent burns.

- **Usage:**

- Do not exceed the recommended weight limit for accessories attached to the handguard.
- Use the Indexer as intended, between the index and middle fingers, to maintain control.

- **Maintenance:**

- Clean the Indexer regularly to remove dirt and debris that may affect performance.
- Inspect the Indexer for any damage before each use.

## **Instructions for Installation and Usage**

### **Installation Steps**

1. **Gather Tools:**

- Ensure you have the necessary tools: T15 Torx wrench (for KeyMod), IP25 TorxPlus driver (for Geissele SMR 416), or IP20/T20 Torx wrench (for MLOK).

## 2. Position the Indexer:

- Determine the desired location on your handguard for the Indexer.

## 3. Attach the Indexer:

- For KeyMod:
  - Use the two BCM inverted KeyMod screws provided.
- For Geissele SMR 416:
  - Use the two 1032x3/8" Torx flat head screws provided.
- For MLOK:
  - Use the two MLOK nuts and two 1024x5/16" Torx button head screws provided.

## 4. Secure the Screws:

- Tighten the screws using the appropriate tool until secure, but do not overtighten to avoid damaging the material.

## Usage Instructions

- Grip the Indexer firmly with your index and middle fingers.
- Maintain a proper shooting stance to ensure stability and control.
- Transition smoothly between shooting positions while keeping fingers clear of hot surfaces.

## Disposal Instructions

When the MLOK INDEXER is no longer in use or is damaged beyond repair, please dispose of it responsibly: \* Recycle aluminum components where possible. \* Follow local regulations for disposal of metal and plastic materials. \* Do not dispose of the product in regular household waste.

## Contact Information for Further Support

For any questions or concerns regarding the MLOK INDEXER ARISAKA DEFENSE INDEXER KEYMOD FINGERSTOP FOR PICATINNY RAILS, please refer to the manufacturer's website or customer service for assistance.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation while using this product. Enjoy your shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)