

# MOUNT FOR TRIJICON MRO OPTIC 1.7" HEIGHT, BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

**MOUNT FOR TRIJICON MRO OPTIC** The Patent Pending Arisaka Trijicon MRO Mount is designed for the Trijicon MRO optic. The low profile, minimalist design and 7075-T651 aluminum construction with MIL-A-8625 Type III hard coat anodizing ensures strength and durability. The Arisaka Trijicon MRO Mount is available in 1.70" with tan hard coat anodizing. Many people find this height provides the perfect balance between heads up orientation and enough cheekweld to be consistent, which is evident in the rising popularity of 1.70" scope mounts. Each mount is CNC machined from 7075-T651 aluminum and clear anodized hard coat 7075 that provides the tan color. Anodizing colors may slightly vary from part to part and batch to batch, and is completely normal. Includes all necessary screws and tools to attach optic to mount. Recommended torque values: Picatinny clamp - 50 inch lbs (5.7 Nm) Optic to mount - 11.9 inch lbs (1.35 Nm) Weight: 1.70" - 3.0 oz Made in the USA.



## Attributes

- Name: [MOUNT FOR TRIJICON MRO OPTIC 1.7" HEIGHT, BLACK](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104525
- Mfr. No.: OMMRO17BK
- Color: Black
- Fits / Used For: Trijicon
- Height: 1.7"
- Weight: 3 lbs
- Delivery weight: 0.181kg
- Shipping height: 64mm
- Shipping width: 89mm
- Shipping length: 89mm
- UPC: 601557940230

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Arisaka Trijicon MRO Optic Mount](#)
- [About Us](#)

# Safety Instruction Guide for Arisaka Trijicon MRO Optic Mount

## Introduction

Thank you for choosing the Arisaka Trijicon MRO Optic Mount. This guide provides essential safety information and instructions for the proper use and installation of the mount. Please read this guide carefully to ensure safe and effective operation.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the Arisaka Trijicon MRO Optic Mount by following all instructions provided in this guide.
- **Enhanced Recalls:** Be aware that if any safety issues arise with the product, recall notices will be provided, and remedies will be available at no charge.
- **Online Shopping:** If purchased online, you have the same safety protections as if you bought it from a physical store.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, including children.
- **EU Contact Point:** For safety inquiries, please refer to the appropriate EU-based contact listed on the product packaging.
- **Rapid Alerts:** Stay informed about any safety updates or alerts regarding this product through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always inspect the mount for any visible damage before installation.
- Ensure that the mount is compatible with your Trijicon MRO optic.
- Do not exceed the recommended torque values when installing the mount:
  - Picatinny clamp: 50 inch lbs (5.7 Nm)
  - Optic to mount: 11.9 inch lbs (1.35 Nm)
- Avoid using the mount in extreme temperatures or harsh environments that may affect its performance.
- Keep the mount out of reach of children and pets to prevent accidental injuries.
- If you notice any unusual behavior during use, discontinue use immediately and consult a professional.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools and components, including screws and tools provided with the mount.
- Ensure that your work area is clean and free from distractions.

### 2. Installation:

- Align the mount with the Picatinny rail on your firearm.
- Securely attach the mount using the provided screws. Ensure it is tightened to the recommended torque values.
- Attach your Trijicon MRO optic to the mount, again ensuring that it is tightened to the specified torque values.

### 3. Usage:

- Once installed, check the stability of the mount and optic before use.
- Regularly inspect the mount for wear and tear, especially after heavy use.
- Follow all firearm safety guidelines when using the mounted optic.

## Disposal Instructions

- Dispose of the Arisaka Trijicon MRO Optic Mount responsibly.
- If the product is no longer in use, consider recycling it at a facility that accepts metal components.
- Follow local regulations regarding the disposal of aluminum products.

## **Contact Information for Further Support**

For any questions or concerns regarding the Arisaka Trijicon MRO Optic Mount, please refer to the contact information provided with your product packaging.

Thank you for prioritizing safety and for choosing the Arisaka Trijicon MRO Optic Mount. Your adherence to these guidelines will help ensure a safe and enjoyable experience.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)