

ALPHA SERIES FIXED BEAM STOCKS - MIDWEST INDUSTRIES

ALPHA SERIES FIXED BEAM STOCK

[Rifle Parts](#) > [Stock Parts](#) > [Buttstocks](#)

Adding to the line of Alpha Series Product, Midwest Industries now has Fixed Beam stocks in both a Side Folder and Fixed Picatinny Attachment model. Shipped for rifle use, also compatible with Gear Head Works tailhook for arm brace use. Adjustable polymer cheek piece for comfortable use with all users. Adjustable butt pad for increased usability with plate carriers or heavy gear. Heavy-duty side-folding mechanism constructed from 4140 heat treated steel for side folder model. Compatible with firearms that include 1913 rail adaptor. Reversible design for left-handed shooters. Full-length locking lug for maximum strength. Solid positive lock up in both positions. Steel clamp with large surface engagement. Can be configured to right or left folding. Features 3 QD sling attachments. Curved, adjustable top surface for a comfortable cheek weld. Adds 8.5" to overall firearm length. Adds 0.75" to the length of the firearm in the folded position. Constructed of high strength polymer, aluminum, and steel components. Weight: 1 lb 4 oz. Made in the USA. Lifetime warranty. Non-Folder Specs: Adds 8.0" to overall length of firearm. Weight: 13.8 oz. Fits 1913 style rails. *End user is responsible for any ATF requirements while using pistol brace*. It is the responsibility of the purchaser to ensure that possession and use of this item is in compliance with all relevant federal, state, and municipal laws or statutes. End user is also responsible for any ATF requirements.



Attributes

- Name: [MIDWEST INDUSTRIES ALPHA SERIES FIXED BEAM STOCK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 430105092
- Mfr. No.: MI-ALPHA-FBS
- Colour: Black
- Material: Steel
- Style: Fixed
- Delivery weight: 0.454kg
- Shipping height: 102mm
- Shipping width: 51mm
- Shipping length: 305mm
- UPC: 812102034261

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for ALPHA SERIES FIXED BEAM STOCKS](#)
- [About Us](#)

Safety Instruction Guide for ALPHA SERIES FIXED BEAM STOCKS

Introduction

Thank you for choosing the ALPHA SERIES FIXED BEAM STOCK from Midwest Industries. This product is designed to enhance your shooting experience while ensuring safety and compliance with relevant regulations. Please read this safety instruction guide carefully to understand how to use and maintain the product safely.

General Safety Guidelines

- Always ensure that the firearm is unloaded before attaching or detaching the stock.
- Familiarize yourself with the operation of your firearm and the stock before use.
- Use the product only as intended and in accordance with all applicable laws.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the stock for any signs of wear or damage before each use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the Fixed Beam Stock is securely attached to the firearm before use.
- Do not exceed the weight limit of the stock as specified in the product specifications.
- Be cautious when using the adjustable features; ensure they are locked in place before firing.
- Avoid using the stock with firearms that do not have a compatible 1913 rail adaptor.
- If using the stock in conjunction with the Gear Head Works tailhook, ensure proper installation and compatibility.
- Be aware of the additional length added to the firearm when using the stock, which may affect maneuverability.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Align the Fixed Beam Stock with the 1913 rail adaptor on your firearm.
3. Slide the stock onto the rail until it is fully seated.
4. Secure the stock by tightening the steel clamp until it is firmly in place.
5. If applicable, configure the stock for right or left folding as desired.

Usage

- To adjust the polymer cheek piece, loosen the adjustment screw, position it for comfort, and tighten the screw securely.
- To fold the stock (if using the side folder model), release the locking mechanism and gently fold the stock to the desired position.
- Ensure the stock is locked in the desired position before firing.
- Utilize the QD sling attachments as needed for added convenience during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding the disposal of firearms accessories.

- If the product is damaged or no longer in use, consider recycling materials where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries or support regarding the ALPHA SERIES FIXED BEAM STOCK, please refer to the contact information provided by your retailer or manufacturer. Ensure that you have the product details available when seeking assistance.

By adhering to these safety guidelines and instructions, you can ensure a safer and more enjoyable experience with your ALPHA SERIES FIXED BEAM STOCK. Always prioritize safety and compliance with local laws. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk