

COBRA BILLET ALUMINUM TRIGGER GUARD - STRIKE INDUSTRIES

BILLET TRIGGER GUARD WITH FINGER REST IN BLACK

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guards](#)

Form meets function with the Strike Industries line of Aluminum trigger guards. Not only does the sculpted, billet aluminum trigger guard make your rifle stand out from the pack, it also provides real added value over the competition. The Cobra's "hood" provides a hard index point off the trigger for safety, and a convenient rest that is optimally placed for rapid re-engagement. The Fang feature from our popular polymer trigger guard is retained to help guide the magazine for faster, more consistent reloads.

Contents 1x Cobra Aluminum Trigger Guard 4x M3 hex screw w/ pre-applied Loctite® Threadlocker Blue 242® 1x Warning Card Features: Aircraft grade aluminum construction Magazine reload assist Cleaner, faster reloads

Functions as safe trigger finger index rest Lightweight Torque: Do not exceed 10 in/lbs (1.13 nM) for the trigger guard screws -CALIFORNIA PROPOSITION 65

WARNING:- WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov



Attributes

- Name: [STRIKE INDUSTRIES BILLET TRIGGER GUARD WITH FINGER REST IN BLACK](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 430105315
- Mfr. No.: SI-BTG-COBRA-BK
- Finish: Black
- Weapon type: AR-15
- Delivery weight: 0.025kg
- Shipping height: 114mm
- Shipping width: 25mm
- Shipping length: 152mm
- UPC: 708747546170

Item details

US export classification: 0A501.x

Table of Contents

- Startpage
- COBRA BILLET ALUMINUM TRIGGER GUARD SAFETY INSTRUCTION GUIDE
- About Us

COBRA BILLET ALUMINUM TRIGGER GUARD SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the COBRA BILLET ALUMINUM TRIGGER GUARD by Strike Industries. This guide provides essential safety information, installation instructions, and usage precautions to ensure your safety and the proper functioning of your product. Please read this guide thoroughly before use.

General Safety Guidelines

- Ensure the product is suitable for your specific firearm model to prevent any compatibility issues.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Keep the trigger guard and surrounding area clean and free from obstructions to maintain functionality.
- Inspect the trigger guard regularly for any signs of wear or damage.
- Store the product in a secure location, away from children and unauthorized users.
- If you notice any unusual behavior or performance issues, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- The COBRA BILLET ALUMINUM TRIGGER GUARD is designed to enhance safety by providing a hard index point off the trigger. Always use this feature to ensure your finger is safely positioned.
- Do not exceed the recommended torque of 10 in/lbs (1.13 nM) when tightening the trigger guard screws to avoid damaging the product.
- Be aware of the California Proposition 65 warning: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, please visit www.P65Warnings.ca.gov.
- Avoid using the trigger guard in extreme environmental conditions that may compromise its integrity.

Instructions for Installation and Usage

Installation Instructions

1. **Gather Required Tools:** You will need an M3 hex wrench to install the trigger guard.
2. **Prepare the Firearm:** Ensure that your firearm is unloaded and in a safe condition before beginning installation.
3. **Remove Existing Trigger Guard:** If applicable, carefully remove the existing trigger guard from your firearm.
4. **Align the Cobra Trigger Guard:** Position the Cobra Aluminum Trigger Guard in place, aligning it with the mounting holes.
5. **Secure the Trigger Guard:**
 - Insert the 4x M3 hex screws provided with the product.
 - Use the M3 hex wrench to tighten each screw gradually, ensuring even pressure across the trigger guard.
 - Do not exceed the torque specification of 10 in/lbs (1.13 nM).
6. **Final Inspection:** Ensure that the trigger guard is securely fastened and does not move. Check that there are no obstructions around the trigger area.

Usage Instructions

- Always ensure your finger is positioned on the index rest of the trigger guard when not actively firing.
- Utilize the Fang feature to assist with magazine reloads, ensuring smoother and faster operation.
- Regularly check the functionality of the trigger guard during routine firearm maintenance.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling the aluminum material where applicable.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please consult the manufacturer or your local dealer for assistance. Ensure to have your product details and any relevant information ready for a more efficient response.

By following these guidelines, you can ensure the safe and effective use of your COBRA BILLET ALUMINUM TRIGGER GUARD. Thank you for prioritizing safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk