

REFLEX EXOSKELETON - STRIKE INDUSTRIES REFLEX EXOSKLELETON

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Compact, lightweight, and rugged, the Reflex Exoskeleton provides extreme protection for a wide variety of reflex optics. The patent pending Universal Mounting Pattern enables users to attach various optics of their choice. Included mounting posts securely hold your optic firmly in place. The shield is precision cut and made from steel with a QPQ black finish while the universal mount is hard anodized black. Included with the Exoskeleton is a lightweight, low profile Picatinny mount that can be used stand alone to save weight. Combined, they offer the highest degree of protection from impacts and shock. At just over 2.5 oz total, the Strike REX is a low-profile, minimalist, must-have accessory for your reflex optics. Please review compatibility disclaimer below before purchasing. Package includes 1 x Reflex Exoskeleton 1 x Reflex Exoskeleton Mount (Picatinny/NATO Accessory rail compatible) 1 x 8 mounting posts 1 x Warning card Compatible Patterns: Docter: Burris Fastfire, Docter, Vortex Viper, Vortex Venom, etc. Optima/JP: Leupold Delta Point, Redfield Accelerator, Trijicon TRD, ETC. Trijicon: Trijicon RMR Note: NOT compatible with Vortex Razor pattern (Vortex Razor, C-MORE STS, STS2, RTS) and Delta Point PRO Features (Exoskeleton) Made from steel with a QPQ finish for durability. (Universal Mounting Base) hard anodized black for abrasion/corrosion resistance. Multi-purpose mounting options for most picatinny rails or slide-mounted optics on handguns. Exoskeleton enshrouds the optic, protecting it from drops, bumps, and shock. Modern, skeletonized, minimalist design Torque: Do not exceed 15 in/lbs (1.69 nM) for the screws CALIFORNIA PROPOSITION 65 WARNING: WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information: www.P65Warnings.ca.gov



Attributes

- Name: [STRIKE INDUSTRIES REFLEX EXOSKLELETON](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 430105355
- Mfr. No.: SI-REX
- Colour: Black
- Delivery weight: 0.104kg
- Shipping height: 29mm
- Shipping width: 57mm
- Shipping length: 105mm
- UPC: 708747546873

Table of Contents

- [Startpage](#)
- [Reflex Exoskeleton Safety Instruction Guide](#)
- [About Us](#)

Reflex Exoskeleton Safety Instruction Guide

Introduction

Thank you for choosing the Reflex Exoskeleton by Strike Industries. This product is designed to provide extreme protection for your reflex optics. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the Reflex Exoskeleton is used only for its intended purpose.
- Always inspect the product for any visible damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that your reflex optic is compatible with the Reflex Exoskeleton. Refer to the compatibility section in the product description.
- **Installation Torque:** Do not exceed 15 in/lbs (1.69 nM) when tightening screws to avoid damage.
- **Hazard Awareness:** Be aware that improper use may lead to damage to your optic or personal injury.
- **Chemical Safety:** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Handle with care.

Instructions for Installation and Usage

1. Unboxing:

- Open the packaging and ensure all components are present:
 - 1 x Reflex Exoskeleton
 - 1 x Reflex Exoskeleton Mount (Picatinny/NATO Accessory rail compatible)
 - 1 x 8 mounting posts
 - 1 x Warning card

2. Installation:

- Select the appropriate mounting posts for your reflex optic.
- Align the Reflex Exoskeleton with your optic and secure it using the provided mounting posts.
- Ensure that the optic is firmly in place and check for any movement.

3. Usage:

- Once installed, the Exoskeleton will protect your optic from drops, bumps, and shock.
- Regularly check the tightness of the screws to maintain stability.

4. Maintenance:

- Clean the Reflex Exoskeleton with a soft, dry cloth.
- Avoid using harsh chemicals or abrasive materials that may damage the finish.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and materials.

- Do not dispose of the product in regular household waste.
- For more information on proper disposal methods, consult your local waste management authority.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Reflex Exoskeleton, please refer to the manufacturer's customer service resources. Ensure you have the product details at hand for efficient assistance.

Thank you for prioritizing safety and compliance while using the Reflex Exoskeleton. Your attention to these guidelines helps ensure a safe and effective experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk