

# CUSTOMIZABLE TWO-POINT SLINGS - Edgar Sherman Design

## CUSTOMIZABLE TWO-POINT NYLON SLING, MULTICAM

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Slings](#)

The Edgar Sherman Design Sling, ESD Sling, was designed with purpose, research extreme testing, and experience. The ESD Sling is adaptable to the end-user. The ESD Sling is highly customizable to any rifle, sub-gun, shotgun, hunting rifle, bolt action, and PDW weapon system. There are two adjustment sections on the ESD sling. A rear adjustment section to fit the ESD sling to your body size and additional gear. And a quick-adjust section to loosen or tighten the sling while in use. The ESD Sling adjustment system is more adaptable to natural body movement and body mechanics. The 1-inch width of the ESD sling has less friction than wider slings and allows the ESD sling to move across your body without resistance. The ESD sling has a new updated elastic regulator preventing webbing from twisting or jamming when adjusting. This elastic has a natural pull tab that allows the sling to be folded upon itself and stored tightly on the weapon system. This feature is great for patrol vehicle storage or bag/pack/case storage. Simply pull on the ESD Sling to deploy the sling to its full length. Key Features NEW MK 1.5 updated elastic is featured on all slings to quicken and ease the stowing functionality of the sling. NEW MK 1.5 updated tags for a cleaner, more legible, and higher fade-resistant logo NEW MK 1.5 Made in USA and Berry Amendment Compliant tag hid in the rear section of the sling ESD Pull Tab featured on all slings! Enhanced grip for easier adjustability. Quick-adjust moves naturally in both opening and closing Super lightweight Streamline design Can fold into itself for vehicle operations and quickly be released from storage Berry Amendment compliant materials 20+inches of adjustment in the rear section of the strap Open Ends: This means that you will have an ITW tri-glide on each end of the sling to secure your attachment method. You could add any connection method for your rifle that you'd like and if needed trim the sling to your size (this is standard on most rifle slings). Hand-made in the USA



### Attributes

- Name: [Edgar Sherman Design CUSTOMIZABLE TWO-POINT NYLON SLING, MULTICAM](#)
- Manufacturer: [Edgar Sherman Design](#)
- Product no.: 430105386
- Mfr. No.: ESD-SL-MC
- Colour: Multi-Cam
- Material: Nylon
- Style: 2-point
- Width: 2"
- Delivery weight: 0.113kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 850027445090

### Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [CUSTOMIZABLE TWOPOINT SLINGS Safety Instruction Guide](#)
- [About Us](#)

# CUSTOMIZABLE TWOPOINT SLINGS Safety Instruction Guide

## Introduction

Thank you for choosing the CUSTOMIZABLE TWOPOINT SLING by Edgar Sherman Design. This guide provides essential safety instructions to ensure the safe and effective use of your sling. Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure that the sling is compatible with your weapon system before use.
- Always inspect the sling for any signs of wear or damage before each use.
- Follow all local laws and regulations regarding the use of slings and firearms.
- Keep the sling and all related equipment out of reach of children and unauthorized users.
- Do not use the sling for any purpose other than its intended use.

## Specific Safety Precautions for Use

- Avoid using the sling in wet or slippery conditions that may affect grip or stability.
- Ensure that all adjustments are secure before using the sling.
- Be cautious when adjusting the sling while in use to prevent accidental release or injury.
- Do not overload the sling beyond its designed capacity, as this may cause failure.
- Always maintain awareness of your surroundings when using the sling with a weapon.

## Instructions for Installation and Usage

### 1. Installation

- Identify the attachment points on your weapon system.
- Securely attach the ITW triglide at each end of the sling to the designated points on your weapon.
- Ensure that the sling is properly seated and secured to prevent accidental detachment.

### 2. Adjustment

- Use the rear adjustment section to fit the sling to your body size and additional gear.
- Utilize the quickadjust section to loosen or tighten the sling as needed during use.
- Ensure that the sling moves naturally across your body without resistance.

### 3. Deployment

- To deploy the sling, simply pull on the ESD Sling to extend it to its full length.
- When not in use, fold the sling upon itself for compact storage.

## Disposal Instructions

- Dispose of the sling responsibly in accordance with local regulations.
- If the sling is damaged beyond repair, consider recycling materials where possible.
- Do not dispose of the sling in regular household waste.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and usage of the CUSTOMIZABLE TWOPOINT SLING, please refer to the manufacturer's contact information provided with your product packaging.

## **Conclusion**

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your CUSTOMIZABLE TWOPOINT SLING. Always prioritize safety and compliance with applicable laws while using this product. Thank you for choosing Edgar Sherman Design.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)