

ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS - ERATAC ULTRA SLIM LEVER MOUNT LOWER 1/3 HEIGHT FOR DOCTER/ NOBLEX

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Completely redesigned Ultra-Slim-Lever mount Available in two heights: Low and Lower 1/3 Super slim, no getting stuck on top loading levers No protruding parts Low weight 100% shock proof and repeatable Reliable lever locking with pawl Clamping adjustable to the picatinny rail Milled from solid bar of high-grade aluminum 7075 All functional parts of tempered stainless steel Hard anodized according Mil-Spec Type III, black matte



Attributes

- Name: [ERATAC ULTRA SLIM LEVER MOUNT LOWER 1/3 HEIGHT FOR DOCTER/ NOBLEX](#)
- Manufacturer: [ERATAC](#)
- Product no.: 430105682
- Mfr. No.: T6160-0039
- Colour: Black
- Fits / Used For: Noblex, Doctor
- Height: 1.15"
- Weight: 0.15 lbs
- Delivery weight: 0.091kg
- Shipping height: 93mm
- Shipping width: 80mm
- Shipping length: 55mm

Table of Contents

- Startpage
- ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS Safety Instruction Guide
- About Us

ULTRA SLIM LEVER MOUNT FOR RED DOT SIGHTS

Safety Instruction Guide

Introduction

Thank you for choosing the ULTRA SLIM LEVER MOUNT for Red Dot Sights by ERATAC. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully to understand proper usage, installation, and disposal of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the mount and attached equipment with care to prevent accidents.
- Keep the mount out of reach of children and vulnerable individuals.
- Regularly check for wear and tear or any damage to the mount.
- If the mount shows signs of damage, do not use it and contact a professional for assessment.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure the mount is securely attached to the picatinny rail before use.
- Avoid using excessive force when adjusting the lever to prevent damage.
- Do not modify the mount in any way, as this may compromise safety and functionality.
- Be aware of your surroundings when using the mount and attached equipment.
- Use protective eyewear when engaging in activities that involve shooting.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Position the mount on the picatinny rail at the desired location.
- Adjust the clamping mechanism to fit securely on the rail.
- Tighten the lever until the mount is firmly in place, ensuring it does not move.

2. Usage:

- After installation, check the mount for stability before each use.
- If necessary, make adjustments to the lever for optimal performance.
- Regularly inspect the mount during use to ensure it remains secure.

3. Maintenance:

- Clean the mount with a soft cloth to remove dirt and debris.
- Avoid using harsh chemicals that may damage the finish.
- Inspect all functional parts regularly for signs of wear.

Disposal Instructions

- Dispose of the mount in accordance with local regulations.
- Do not dispose of the mount in general waste if it contains any hazardous materials.
- Consider recycling components where possible.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.
Enjoy using your ULTRA SLIM LEVER MOUNT for Red Dot Sights!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk