

AR-15 A1 COMPENSATOR LOCK WASHER - LUTH-AR A1 COMPENSATOR LOCK WASHER

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Lock washer for .223 Remington or 5.56x45 NATO A1 Compensator.



Attributes

- Name: [LUTH-AR A1 COMPENSATOR LOCK WASHER](#)
- Manufacturer: [LUTH-AR](#)
- Product no.: 430106643
- Mfr. No.: BL-06-LW
- Caliber: 22 Caliber (.223-.224)
- Weapon type: AR-15
- Delivery weight: 0.113kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 812058030690

Item details

Made in USA

Table of Contents

- Startpage
- AR15 A1 Compensator Lock Washer Safety Instructions
- About Us

AR15 A1 Compensator Lock Washer Safety Instructions

Introduction

Thank you for purchasing the AR15 A1 Compensator Lock Washer by LUTHAR. This safety instruction guide provides essential information to ensure the safe use and installation of this product. Please read the entire guide carefully before use.

General Safety Guidelines

- Ensure that the product is compatible with your firearm before installation.
- Always handle firearms with care and follow basic safety practices.
- Store this product in a safe place, out of reach of children and unauthorized users.
- Regularly inspect the lock washer for signs of wear or damage before each use.
- Report any unsafe conditions or incidents related to this product to the appropriate authorities.

Specific Safety Precautions for Use

- Use only with .223 Remington or 5.56x45 NATO A1 Compensators.
- Do not exceed the recommended torque specifications during installation.
- Avoid using the lock washer if it shows any signs of damage or deformation.
- Ensure the firearm is unloaded before installing or removing the lock washer.
- Wear appropriate safety gear, such as eye protection, during installation and use.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation, including a torque wrench.

2. Installation Steps:

- Position the A1 Compensator on the muzzle of the firearm.
- Place the lock washer over the threaded portion of the compensator.
- Using a torque wrench, tighten the compensator to the manufacturer's specifications.
- Doublecheck that the lock washer is securely in place and the compensator is properly installed.

3. PostInstallation:

- Inspect the installation for any misalignment or loose parts.
- Test the firearm in a safe environment to ensure proper function after installation.

Disposal Instructions

- Dispose of the lock washer in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local waste disposal services for proper recycling or disposal methods.

Contact Information for Further Support

For safety inquiries or further support regarding the AR15 A1 Compensator Lock Washer, please refer to the manufacturer's contact information provided with your product.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk