

# 3FO-S FLASH HIDER - BREEK ARMS 3FO-S FLASH HIDER 9MM 1/2"X28 THREAD

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

The 3FO-S Flash Hider is machined out of heat treated 4140 then nitrided offering exceptional strength and reliability. The primary function of the 3FO-S diminishes muzzle flash by dispersing and redirecting the escaping gases generated by the fired round, thus minimizing the signature flash produced at the muzzle maintaining your tactical advantage in critical situations as well as keeping your rifle footprint as small as possible. The 3FO-S has internal threads, a significant design advantage offering even more flash suppression over standard flash hiders. The reduced flash not only helps maintain a clear sight picture but also reduces the chances of the shooter being temporarily blinded in low-light conditions, ensuring optimal visibility and target acquisition. It features a sleek, short profile that integrates seamlessly with your system, maintaining a clean and streamlined appearance. FEATURES: Short profile works great for Pistol Caliber Carbines Internal Threads Disrupt Gas Expansion Resulting in Less Flash Design: 3FO-S: 3 Prong Outside Threaded Short Flash Hider Outside Thread: 13/16 x 16 TPI Material: 4140 Steel Nitrided Cone Shape Lockup Provides a Tighter & More Concentric Fit Comes with 1 Crush Washer Overall length: 1.58 Inches Weight: 2.2 oz (223) 1.9 oz (9mm) Made in America Caliber & Thread Options: Cal: 223/556; Thread: 1/2x28 Cal: .30; Thread: 5/8x24 Cal: 9mm, Thread: 5/8x24 Cal: 9mm; Thread: 1/2x28 Cal: 9mm; Thread: 1/2x36



## Attributes

- Name: [BREEK ARMS 3FO-S FLASH HIDER 9MM 1/2"X28 THREAD](#)
- Manufacturer: [BREEK ARMS](#)
- Product no.: 430107012
- Mfr. No.: BRK4036
- Caliber: 9 mm (.355-.356)
- Finish: Black
- Material: Steel
- Threads: 1/2-28
- Weapon type: AR-15
- Delivery weight: 0.059kg
- Shipping height: 32mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 812296030636

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [3FOS Flash Hider Safety Instruction Guide](#)
- [About Us](#)

# 3FOS Flash Hider Safety Instruction Guide

## Introduction

Thank you for purchasing the 3FOS Flash Hider by BREEK ARMS. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this manual carefully before use to understand the potential hazards and how to avoid them.

## General Safety Guidelines

- Ensure that the flash hider is compatible with your firearm before installation.
- Always handle firearms and accessories with care, following all applicable safety regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the flash hider regularly for signs of wear or damage.
- Do not attempt to modify or disassemble the flash hider.
- Use only with ammunition that is suitable for your firearm and meets the specified caliber requirements.
- Always wear appropriate eye and ear protection when using firearms equipped with the flash hider.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- **Muzzle Flash Reduction:** The 3FOS Flash Hider is designed to minimize muzzle flash. However, it is important to understand that while it reduces visibility to the shooter, it does not eliminate all flash.
- **LowLight Conditions:** Be aware that even with reduced flash, shooting in lowlight conditions can still present challenges to visibility and target acquisition.
- **Temporary Blindness:** Be cautious of the potential for temporary blindness caused by muzzle flash, even with the use of a flash hider.
- **Installation:** Follow the installation instructions precisely to avoid improper fitting, which can lead to malfunctions or accidents.

## Instructions for Installation and Usage

### 1. Tools Required:

- Armorer's wrench or appropriate tool for your firearm.
- Torque wrench (optional for precise fitting).

### 2. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing muzzle device if applicable.
- Clean the threads of the barrel to remove any debris or old thread locker.
- Apply a small amount of thread locker (if desired) to the threads of the barrel.
- Screw the 3FOS Flash Hider onto the barrel, ensuring it is aligned correctly.
- Tighten the flash hider to the manufacturer's specifications using an armorer's wrench.
- Check that the flash hider is securely attached before using the firearm.

### 3. Usage:

- Always ensure that the firearm is in a safe condition before handling.
- When shooting, maintain proper shooting stance and grip.
- Monitor conditions and surroundings to ensure safe shooting practices.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations regarding metal and firearm accessories.
- Do not dispose of the flash hider in regular household waste.
- If the product is damaged or no longer usable, consult local recycling programs for proper disposal methods.

## **Contact Information for Further Support**

For any further inquiries or support regarding the 3FOS Flash Hider, please refer to the contact information provided on the product packaging or the manufacturer's website.

Thank you for choosing BREEK ARMS. Your safety is our priority. Please follow these guidelines to ensure a safe and enjoyable experience with your 3FOS Flash Hider.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)