

MATCH SCOPE RINGS - AREA 419 MATCH 30MM DIAMETER LOW (.94") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 30MM DIAMETER LOW \(.94"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107260
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 0.94"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Size: Low
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181700

Item details

Made in USA

Table of Contents

- Startpage
- MATCH SCOPE RINGS AREA 419 Safety Instruction Guide
- About Us

MATCH SCOPE RINGS AREA 419 Safety Instruction Guide

Introduction

Thank you for choosing the MATCH SCOPE RINGS AREA 419. This guide provides essential safety instructions and usage guidelines to ensure safe and effective use of your scope rings. It complies with the EU General Product Safety Regulation (GPSR) to protect consumers and promote safe practices.

General Safety Guidelines

- Ensure the scope rings are compatible with your optic before installation.
- Inspect the rings for any damage or defects before use.
- Follow all installation instructions carefully to avoid improper fitting.
- Use only the specified tools for installation to prevent damage.
- Store the scope rings in a dry and safe environment when not in use.
- Keep the product out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Do not exceed the recommended torque specifications during installation.
- Avoid using the scope rings in extreme temperatures or harsh environments.
- Regularly check the integrity of the scope rings and mounting system.
- If you notice any unusual movement or looseness, stop using the product and consult a professional.
- Ensure that the optic is securely mounted within the rings before use.
- Be aware of the weight limitations of your optic and ensure that the rings can support it.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate spacers.
- Ensure the mounting surface is clean and free from debris.

2. Installation Steps:

- Align the bases of the scope rings with the mounting rail on your firearm.
- Secure the bases using the provided hardware, ensuring they are tightened to the specified torque settings.
- Place the optic into the rings and adjust its position as needed.
- Secure the caps of the rings over the optic, ensuring a snug fit without overtightening.
- Use the torque wrench to tighten the caps to the recommended specifications.

3. Final Checks:

- Verify that the optic is level and properly aligned.
- Check for any movement in the rings or optic before taking your firearm to the range or field.

Disposal Instructions

- Dispose of packaging materials in accordance with local recycling regulations.
- If the scope rings are no longer functional or needed, dispose of them in a manner that complies with local waste management laws.

- Do not dispose of the product in general waste if it contains materials that require special handling.

Contact Information for Further Support

For any safety inquiries or support regarding the MATCH SCOPE RINGS AREA 419, please refer to your point of purchase or visit the manufacturer's website for further assistance.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your MATCH SCOPE RINGS AREA 419. Always prioritize safety and proper usage to maximize the performance of your scope rings. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk