

MATCH SCOPE RINGS - AREA 419 MATCH 30MM DIAMETER MEDIUM (1.10") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 30MM DIAMETER MEDIUM \(1.10"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107261
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 1.10"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Size: Medium
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181496

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Area 419 MATCH SCOPE RINGS
- About Us

Safety Instruction Guide for Area 419 MATCH SCOPE RINGS

Introduction

Thank you for choosing the Area 419 MATCH SCOPE RINGS. This product is designed to provide a reliable and secure mounting solution for your optics. To ensure safe and effective use, please read this safety instruction guide carefully. It includes important safety guidelines, installation instructions, and disposal information.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the scope rings by following all instructions provided. The product is designed to meet safety standards for nonfood items.
- **Enhanced Recalls:** Be aware that if any safety issues arise, standardized recall notices will be issued. Keep an eye out for any updates regarding recalls.
- **Online Shopping Protections:** If purchased online, be assured that the same safety protections apply as if purchased in a physical store.
- **Special Consumer Focus:** Extra safeguards are in place for vulnerable groups. Ensure that the product is used only by individuals who can operate it safely.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact point provided by the manufacturer.
- **Rapid Alerts:** Stay informed about any unsafe product updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Inspection:** Before installation, inspect the scope rings for any visible damage or defects. Do not use if damaged.
- **Compatibility:** Ensure that the scope rings are compatible with your optic and mounting system.
- **Torque Specifications:** Follow the torque specifications provided during installation to avoid overtightening, which could damage the scope or rings.
- **Avoid Excessive Force:** Do not apply excessive force when tightening screws, as this may lead to failure of the rings or damage to the optic.
- **Child Safety:** Keep the product out of reach of children and ensure it is used only by responsible adults.
- **Proper Handling:** Handle the rings with care to avoid dropping or damaging them.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a torque wrench.
- Ensure the work area is clean and free from distractions.

2. Installation:

- Place the base of the scope rings onto the rail of your firearm.
- Align the rings with the mounting holes on the rail.
- Secure the base using the provided screws, ensuring they are tightened to the specified torque.
- Place the optic in the rings and adjust the position as needed.
- Secure the caps of the scope rings, again using the specified torque settings.
- Doublecheck all screws for tightness and alignment.

3. Usage:

- After installation, check the alignment of the optic through the scope.
- Make any necessary adjustments to ensure proper sighting.
- Regularly inspect the scope rings for signs of wear or loosening during use.

Disposal Instructions

- **General Disposal:** Dispose of the product in accordance with local regulations for metal waste. Do not dispose of in regular household waste.
- **Recycling:** If possible, recycle the aluminum components of the scope rings to minimize environmental impact.
- **Hazardous Materials:** Ensure that any packaging materials are disposed of responsibly and in accordance with local waste management guidelines.

Contact Information for Further Support

For any questions or concerns regarding the Area 419 MATCH SCOPE RINGS, please refer to the contact information provided by the manufacturer. They will assist you with any safety inquiries or product support you may need.

Thank you for your attention to these safety instructions. Proper use and care of your scope rings will ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk