

# MATCH SCOPE RINGS - AREA 419 MATCH 30MM DIAMETER HIGH (1.26") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



## Attributes

- Name: [AREA 419 MATCH 30MM DIAMETER HIGH \(1.26"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107262
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 1.26"
- Material: Aluminum
- Scope Tube Diameter: 30mm
- Size: High
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181717

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Area 419 Match Scope Rings
- About Us

# Safety Instruction Guide for Area 419 Match Scope Rings

## Introduction

Thank you for choosing the Area 419 Match Scope Rings. These rings are designed to provide a reliable and secure mounting solution for your optics. This safety instruction guide is intended to ensure the safe use of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before installation and use.

## General Safety Guidelines

- Ensure that the scope rings are compatible with your scope and mounting system.
- Always inspect the scope rings for any damage or defects before use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all installation and usage instructions provided in this guide.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Improper installation may lead to scope misalignment or detachment.
- Overtorquing the rings can damage the scope or the rings themselves.
- Using incompatible components may compromise safety and performance.

### • Avoiding Hazards:

- Ensure all components are clean and free from debris before installation.
- Use a torque wrench to apply the correct amount of torque as specified in the installation instructions.
- Do not exceed the recommended torque settings.
- Regularly check the tightness of the scope rings, especially after heavy use or transport.

### • Age Specific Warnings:

- This product is not intended for use by children. Adult supervision is required during installation and use.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a torque wrench, screwdriver, and any other required equipment.
- Ensure that the workspace is clean and welllit.

### 2. Installation Steps:

- Remove any existing scope rings or mounts from your firearm.
- Align the base of the Area 419 Match Scope Rings with the mounting rail on your firearm.
- Secure the bases using the provided hardware, ensuring they are firmly in place.
- Place the scope into the rings, ensuring it is level and properly aligned.

- Position the caps over the scope and secure them using the provided screws.
- Use a torque wrench to tighten the screws to the specified torque settings.

### **3. Usage:**

- Once installed, check the alignment of the scope through the rings.
- Make any necessary adjustments before finalizing the installation.
- Regularly inspect the scope rings for any signs of wear or loosening.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations for aluminum and metal waste.
- Do not dispose of the product in household waste.
- Contact your local waste management authority for proper disposal methods.

## **Contact Information for Further Support**

For any inquiries or safety concerns regarding the Area 419 Match Scope Rings, please refer to the product packaging for contact information. Your safety is our priority, and we are here to assist you.

By following these safety guidelines and instructions, you can ensure the safe and effective use of your Area 419 Match Scope Rings. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)