

MATCH SCOPE RINGS - AREA 419 MATCH 34MM DIAMETER LOW (.94") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 34MM DIAMETER LOW \(.94"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107263
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 0.94"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Size: Low
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181724

Item details

Made in USA

Table of Contents

- Startpage
- MATCH SCOPE RINGS AREA 419 Safety Instruction Guide
- About Us

MATCH SCOPE RINGS AREA 419 Safety Instruction Guide

Introduction

Thank you for choosing the MATCH SCOPE RINGS AREA 419. This guide provides essential safety instructions and guidelines to ensure the proper and safe use of your scope rings. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used as intended and according to the instructions provided.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Do not use the product if it appears damaged or malfunctioning.
- Report any unsafe conditions or incidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

• Installation Safety:

- Ensure the firearm is unloaded before installing the scope rings.
- Use appropriate tools to avoid damaging the scope rings or firearm.

• Handling:

- Handle the scope rings with care to avoid dropping them, which may cause damage.
- Avoid applying excessive force during installation to prevent stripping screws or damaging components.

• Use with Firearms:

- Ensure that the scope rings are compatible with your firearm and scope.
- Do not exceed the recommended torque specifications when securing the rings.

• Environmental Considerations:

- Avoid using the product in extreme weather conditions unless specified.
- Store the product in a dry, cool place to prevent corrosion or degradation.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: torque wrench, screwdrivers, and any other required tools.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation Steps:

- Remove any existing scope rings from the firearm.
- Place the base of the scope rings onto the firearm's rail.
- Align the scope rings with the mounting holes on the rail.
- Secure the rings using the provided screws. Ensure they are torqued to the manufacturer's

- specifications.
- Attach the scope to the rings and adjust as necessary for proper alignment.

3. Final Checks:

- Inspect the installation to ensure everything is secure.
- Check that the scope is properly aligned with the firearm's sights.
- Conduct a function check to ensure that the scope rings are holding the optic securely.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for aluminum components where available.

Contact Information for Further Support

For any questions or concerns regarding the safety and usage of your MATCH SCOPE RINGS AREA 419, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's website for additional resources and support.

Thank you for your attention to these safety instructions. Enjoy your experience with the MATCH SCOPE RINGS AREA 419, and always prioritize safety in your shooting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk