

MATCH SCOPE RINGS - AREA 419 MATCH 34MM DIAMETER MEDIUM (1.10") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 34MM DIAMETER MEDIUM \(1.10"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107264
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 1.10"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Size: Medium
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181489

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MATCH SCOPE RINGS AREA 419 MATCH 34MM DIAMETER MEDIUM RINGS
- About Us

Safety Instruction Guide for MATCH SCOPE RINGS AREA 419 MATCH 34MM DIAMETER MEDIUM RINGS

Introduction

Thank you for choosing the MATCH SCOPE RINGS AREA 419 MATCH 34MM DIAMETER MEDIUM RINGS. This guide provides essential safety information and instructions to ensure the safe and effective use of your scope rings. Please read this guide carefully before installing and using the product.

General Safety Guidelines

- Ensure the product is suitable for your specific scope and firearm.
- Always follow the manufacturer's instructions for installation and use.
- Regularly inspect the scope rings for signs of wear or damage.
- Do not exceed the recommended torque specifications during installation.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents related to the product to the relevant authorities.

Specific Safety Precautions for Use

- **Installation Surface:** Ensure you are working on a stable and clean surface to prevent accidents.
- **Protective Gear:** Use appropriate protective gear such as safety glasses when handling tools.
- **Torque Specifications:** Adhere to the specified torque settings during installation to avoid damaging the rings or scope.
- **Compatibility Check:** Verify that the scope rings are compatible with your scope and firearm before use.
- **Regular Maintenance:** Periodically check the tightness of the screws and the integrity of the rings.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that the scope rings and base are clean and free of debris.

2. Installation:

- Position the base of the scope rings on the rail of your firearm.
- Align the rings with the mounting holes and ensure they fit securely.
- Place the scope into the rings and adjust its position for optimal eye relief and alignment.
- Using a torque wrench, tighten the screws to the manufacturer's specified torque settings.

3. Final Checks:

- After installation, doublecheck that all screws are tightened and the scope is secure.
- Ensure that the scope is level and properly aligned with the firearm.

4. Usage:

- Always handle the firearm safely and responsibly.
- Use the scope rings only for their intended purpose and within the specified limits of your

equipment.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Recycle materials where possible, including aluminum components.
- Do not dispose of the product in household waste.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the MATCH SCOPE RINGS AREA 419 MATCH 34MM DIAMETER MEDIUM RINGS, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for prioritizing safety while using your new scope rings. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk