

MATCH SCOPE RINGS - AREA 419 MATCH 34MM DIAMETER HIGH (1.26") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 34MM DIAMETER HIGH \(1.26"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107265
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 1.26"
- Material: Aluminum
- Scope Tube Diameter: 34mm
- Size: High
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181731

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Area 419 Match Scope Rings
- About Us

Safety Instruction Guide for Area 419 Match Scope Rings

Introduction

Thank you for choosing the Area 419 Match Scope Rings. Designed with precision and reliability in mind, these scope rings provide a secure and true capture of your optic. To ensure safe usage and optimal performance, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the scope rings for any signs of damage or wear.
- Do not use the product if it appears defective or damaged.
- Always follow the manufacturer's instructions for installation and usage.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- **Avoid OverTorquing:** When securing the scope rings, use the recommended torque specifications to prevent damaging the rings or the optic.
- **Inspect Before Use:** Always inspect the scope rings and the mounting surface for dirt, debris, or damage before installation.
- **Use Proper Tools:** Use only the recommended tools for installation to avoid damaging the rings or optic.
- **Check Compatibility:** Ensure that the scope rings are compatible with your specific optic and mounting system.
- **Avoid Extreme Conditions:** Do not expose the scope rings to extreme temperatures or harsh chemicals that may affect their integrity.

Instructions for Installation and Usage

1. **Gather Required Tools:** Ensure you have the necessary tools, such as a torque wrench and appropriate screwdrivers.
2. **Prepare the Mounting Surface:** Clean the mounting surface to remove any dirt or debris.
3. **Install the Base:**
 - Align the base of the scope rings with the mounting rail.
 - Secure the base using the provided screws, tightening them to the recommended torque specification.
4. **Attach the Caps:**
 - Place the caps on top of the scope.
 - Align the caps with the base and secure them using the provided screws.
 - Again, tighten to the recommended torque specification.
5. **Final Check:**
 - Ensure that the scope is properly aligned and secured.
 - Doublecheck all screws for tightness.
6. **Usage:**
 - When using your firearm or optic, always follow safe handling practices.
 - Ensure that the scope rings are functioning correctly before each use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of the product in regular household waste.
- Consider recycling components where possible.

Contact Information for Further Support

For any questions regarding the safety and usage of the Area 419 Match Scope Rings, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your Area 419 Match Scope Rings. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk