

MATCH SCOPE RINGS - AREA 419 MATCH 35MM DIAMETER HIGH (1.26") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 35MM DIAMETER HIGH \(1.26"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107268
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 1.26"
- Material: Aluminum
- Scope Tube Diameter: 35mm
- Size: High
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181809

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Area 419 Match Scope Rings
- About Us

Safety Instruction Guide for Area 419 Match Scope Rings

Introduction

Thank you for choosing the Area 419 Match Scope Rings. These highquality aluminum rings are designed to securely hold your optic in place while ensuring optimal performance. This guide provides essential safety instructions to help you use this product safely and effectively, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure safe use of the scope rings by following all instructions provided in this guide.
- Be aware of potential hazards associated with improper installation or use.
- Regularly check for product recalls and safety updates via the EU's Safety Gate platform.
- If you notice any defects or unusual wear, discontinue use and report the issue to the relevant authorities.

Specific Safety Precautions for Use

- Always inspect the scope rings before each use for any signs of damage or wear.
- Ensure that the rings are compatible with your scope's diameter (30mm, 34mm, 35mm, or 36mm).
- Use only the recommended mounting hardware provided with the scope rings.
- Do not exceed the specified torque settings during installation to avoid damaging the rings or your optic.
- Keep the scope rings out of reach of children and vulnerable individuals.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench, and ensure you have a clean workspace.

2. Installation Steps

- **Step 1:** Place the scope in the desired position on the rifle's rail.
- **Step 2:** Align the scope rings around the scope's body, ensuring they are positioned correctly on the rail.
- **Step 3:** Insert the screws into the ring caps and handtighten them initially.
- **Step 4:** Using a torque wrench, carefully tighten the screws to the specified torque setting. Do not overtighten.
- **Step 5:** Ensure that the caps are securely fastened and that the scope is level.

3. Usage Tips

- Regularly check the tightness of the screws after installation, especially after the first few uses.
- Avoid using excessive force when adjusting the scope to prevent damage to the rings or optic.

Disposal Instructions

- Dispose of the product in accordance with local regulations for aluminum and electronic waste.
- Do not dispose of the rings in regular household waste.
- Consider recycling the aluminum components where possible.

Contact Information for Further Support

For further inquiries regarding safety or product performance, please contact the manufacturer directly through the provided channels. Ensure that you have your product details ready for a more efficient response.

Thank you for your attention to these safety guidelines. Enjoy your experience with the Area 419 Match Scope Rings.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk