

# MATCH SCOPE RINGS - AREA 419 MATCH 36MM DIAMETER HIGH (1.26") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



## Attributes

- Name: [AREA 419 MATCH 36MM DIAMETER HIGH \(1.26"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107270
- Mfr. No.: 419-MATCHRING-3
- Finish: Black
- Height: 1.26"
- Material: Aluminum
- Scope Tube Diameter: 36mm
- Size: High
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181847

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for MATCH SCOPE RINGS AREA 419 MATCH 36MM DIAMETER HIGH RINGS
- About Us

# Safety Instruction Guide for MATCH SCOPE RINGS AREA 419 MATCH 36MM DIAMETER HIGH RINGS

## Introduction

Thank you for choosing the MATCH SCOPE RINGS by AREA 419. These highquality aluminum scope rings are designed for reliable performance and optimal capture of your optic. To ensure safe usage and compliance with EU General Product Safety Regulation (GPSR), please read this safety instruction guide carefully.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a scope ring.
- Always inspect the product for any visible damage or defects before installation.
- Keep the product out of reach of children and vulnerable individuals.
- If you experience any issues or have concerns about the product, cease use immediately and seek assistance.
- Stay informed about recalls and safety notices through the EU Safety Gate platform.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Improper installation may lead to scope misalignment or damage.
- Excessive torque during installation can damage the rings or the scope.
- Using the rings with incompatible scope diameters may cause instability.

### • Instructions to Avoid Hazards:

- Always follow the installation instructions provided in this guide.
- Use a torque wrench to ensure the correct torque specifications are met.
- Verify that the scope's diameter matches the ring size before installation.

### • AgeSpecific Warnings:

- This product is not intended for use by individuals under the age of 18 without adult supervision.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a torque wrench, screwdriver, and any additional mounting hardware provided.

### 2. Installation Steps:

- Ensure that the rifle is unloaded and pointed in a safe direction before beginning installation.
- Place the scope in the rings and align it to your desired position.
- Position the rings on the rifle's rail, ensuring they are spaced evenly.
- Secure the rings by tightening the screws gradually and evenly.
- Use a torque wrench to tighten the screws to the recommended torque specifications (refer to the product specifications for details).
- Doublecheck the alignment and stability of the scope.

### 3. Usage:

- Once installed, regularly check the tightness of the screws to ensure they remain secure.
- Avoid using excessive force when adjusting the scope to prevent damage to the rings or the scope itself.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for aluminum and metal waste.
- Do not dispose of the product in household waste.
- Consider recycling the product to minimize environmental impact.

## Contact Information for Further Support

For any safety inquiries or additional support, please refer to the contact information provided with your product or consult the official AREA 419 website.

By following these safety instructions, you can ensure a safe and effective experience with your MATCH SCOPE RINGS. Thank you for your attention to safety and proper usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)