

ARCALOCK MLOK ATTACHMENT - AREA 419 ARCALOCK DOVETAIL RAIL 6" M-LOK BLACK

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

Improved Dovetail Technology for Your Precision Rifle

ARCALOCK MLOK ATTACHMENT Area 419 is always looking for ways to improve existing products when Area 419 are not developing new technologies. With the rapid growth in popularity of ARCA rails in precision rifle, they saw a need to improve this great dovetail technology to something that could be mechanically locked in place instead of just friction. If you have ever tried using a Barricade stop on an existing ARCA rail, you've probably also seen it slide under much pressure. Introducing the ARCALOCK Dovetail Rail System *Rail is only locking with an Area 419 clamp* Rail Features: Serrated rail sides interface with Area 419's proprietary clamp design to mechanically lock it in place so no movement is possible. Serrations are not sharp, will not damage bags or your hands. Rail is backwards compatible with standard Arca accessories, but will not be locking without Area 419's clamp. Arcalock Dovetail Rail 6" M-LOK is 6" long and weighs in at a paltry 2.2oz.

NOTE: THIS RAIL REQUIRES 3 CONSECUTIVE MLOK SLOTS TO ATTACH. Arcalock Dovetail Rail 12" M-LOK is 12" long giving you the entire length of the stock forend for attachments. The best part is, it still only weighs in at a paltry 4.1oz. NOTE: THIS RAIL REQUIRES 6 CONSECUTIVE MLOK SLOTS TO ATTACH. FOR STOCKS WITH FEWER MLOK SLOTS, YOU'LL WANT A 12" UNIVERSAL RAIL WITH MLOK ATTACHMENT NUTS SPECS Made to the RRS 1.5" Dovetail Standard, so you can be sure lever clamps will work. No sharp edges. Every corner is radiused, and every edge is chamfered on the machine. This takes longer to make, but it is the only right way. Type 3 Hard Coat anodized for additional durability. Made from 6061-T6 Aluminum. Made in-house in the USA from USA sourced Aluminum on USA made CNCs. Rail comes with all M-LOK mounting hardware.



Attributes

- Name: [AREA 419 ARCALOCK DOVETAIL RAIL 6" M-LOK BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107272
- Mfr. No.: 419-ALK-MLOK6
- Colour: Black
- Length: 6
- Material: Aluminum
- Style: Quick Detach
- Type: M-LOK
- Delivery weight: 0.181kg
- Shipping height: 102mm
- Shipping width: 25mm
- Shipping length: 254mm
- UPC: 810080181212

Item details

Made in USA

Table of Contents

- Startpage
- ARCALOCK MLOK ATTACHMENT Safety Instruction Guide
- About Us

ARCALOCK MLOK ATTACHMENT Safety Instruction Guide

Introduction

Thank you for choosing the ARCALOCK MLOK ATTACHMENT AREA 419 ARCALOCK DOVETAIL RAIL 6" MLOK BLACK. This guide provides important safety information, usage instructions, and disposal guidelines to ensure a safe and effective experience with your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose as described in this guide.
- Follow all installation and usage instructions to minimize risks associated with improper use.
- Regularly inspect the product for any signs of wear or damage. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product conditions or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

Specific Safety Precautions for Use

- Always use the ARCALOCK Dovetail Rail with the appropriate Area 419 clamp to ensure secure attachment.
- Do not exceed the weight limits specified for the rail to prevent failure.
- Avoid using the rail in extreme weather conditions that may affect its performance.
- Do not modify the product in any way, as this may compromise safety and functionality.
- Ensure that the rail is securely attached before use to prevent accidental detachment.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure you have 3 consecutive MLOK slots available for the 6" rail or 6 consecutive slots for the 12" rail.
2. **Align the Rail:** Position the rail over the desired MLOK slots on your firearm.
3. **Insert Screws:** Using the provided MLOK mounting hardware, insert the screws through the rail into the MLOK slots.
4. **Tighten Securely:** Use an appropriate tool to tighten the screws, ensuring the rail is firmly attached. Do not overtighten, as this may damage the rail or the firearm.
5. **Attach Area 419 Clamp:** Once the rail is secured, attach the Area 419 clamp to lock the rail in place. Ensure it is properly engaged to prevent movement.

Usage

- Always check that the rail is securely locked in place before using your firearm.
- When using accessories, ensure they are compatible with the ARCALOCK system.
- Be mindful of the weight of attached accessories to avoid exceeding the rail's limits.

Disposal Instructions

- Dispose of the product in accordance with local regulations for aluminum and metal waste.
- Do not dispose of the product in household waste if local laws require recycling of metal products.
- Remove any nonmetal components before recycling, if applicable.

Contact Information for Further Support

For any questions or concerns regarding the ARCALOCK MLOK ATTACHMENT, please refer to the manufacturer's website or contact their support team for assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.
Enjoy your new ARCALOCK Dovetail Rail!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk