

# ARCALOCK MLOK ATTACHMENT - AREA 419 ARCALOCK DOVETAIL RAIL 6" M-LOK FDE

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

## Improved Dovetail Technology for Your Precision Rifle

ARCALOCK MLOK ATTACHMENT Area 419 is always looking for ways to improve existing products when Area 419 are not developing new technologies. With the rapid growth in popularity of ARCA rails in precision rifle, they saw a need to improve this great dovetail technology to something that could be mechanically locked in place instead of just friction. If you have ever tried using a Barricade stop on an existing ARCA rail, you've probably also seen it slide under much pressure. Introducing the ARCALOCK Dovetail Rail System \*Rail is only locking with an Area 419 clamp\* Rail Features: Serrated rail sides interface with Area 419's proprietary clamp design to mechanically lock it in place so no movement is possible. Serrations are not sharp, will not damage bags or your hands. Rail is backwards compatible with standard Arca accessories, but will not be locking without Area 419's clamp. Arcalock Dovetail Rail 6" M-LOK is 6" long and weighs in at a paltry 2.2oz.

NOTE: THIS RAIL REQUIRES 3 CONSECUTIVE MLOK SLOTS TO ATTACH. Arcalock Dovetail Rail 12" M-LOK is 12" long giving you the entire length of the stock forend for attachments. The best part is, it still only weighs in at a paltry 4.1oz. NOTE: THIS RAIL REQUIRES 6 CONSECUTIVE MLOK SLOTS TO ATTACH. FOR STOCKS WITH FEWER MLOK SLOTS, YOU'LL WANT A 12" UNIVERSAL RAIL WITH MLOK ATTACHMENT NUTS SPECS Made to the RRS 1.5" Dovetail Standard, so you can be sure lever clamps will work. No sharp edges. Every corner is radiused, and every edge is chamfered on the machine. This takes longer to make, but it is the only right way. Type 3 Hard Coat anodized for additional durability. Made from 6061-T6 Aluminum. Made in-house in the USA from USA sourced Aluminum on USA made CNCs. Rail comes with all M-LOK mounting hardware.



## Attributes

- Name: [AREA 419 ARCALOCK DOVETAIL RAIL 6" M-LOK FDE](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107273
- Mfr. No.: 419-ALK-MLOK6-F
- Attachment: -
- Colour: Flat Dark Earth
- Length: 6
- Material: Aluminum
- Style: Quick Detach
- Type: M-LOK
- Delivery weight: 0.181kg
- Shipping height: 102mm
- Shipping width: 25mm
- Shipping length: 254mm
- UPC: 810080181243

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for ARCALOCK MLOK Attachment Area 419 Dovetail Rail
- About Us

# Safety Instruction Guide for ARCALOCK MLOK Attachment Area 419 Dovetail Rail

## Introduction

Thank you for choosing the ARCALOCK MLOK Attachment Area 419 Dovetail Rail. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide thoroughly before installation and usage.

## General Safety Guidelines

- Ensure safe use of the ARCALOCK MLOK Dovetail Rail by following these guidelines:
  - Always inspect the product for any damage before use.
  - Keep the product out of reach of children and vulnerable individuals.
  - Use the product only for its intended purpose as specified by the manufacturer.
  - Report any unsafe conditions or accidents to the appropriate authorities.
  - Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- To ensure safe and effective use of the ARCALOCK MLOK Dovetail Rail, please observe the following precautions:
  - Ensure that the rail is securely attached to the firearm before use.
  - Do not exceed the weight limit specified for the rail.
  - Avoid using the rail in extreme weather conditions that may affect its performance.
  - Do not modify the rail or its components, as this may compromise safety.
  - Always use the rail with Area 419's proprietary clamp to ensure proper locking.

## Instructions for Installation and Usage

- Follow these steps for the proper installation and usage of the ARCALOCK MLOK Dovetail Rail:

### 1. Installation

- Ensure you have 3 consecutive MLOK slots available for the 6" rail or 6 consecutive slots for the 12" rail.
- Align the rail with the MLOK slots on your firearm.
- Insert the mounting hardware provided and tighten securely using the appropriate tools.
- Check that the rail is firmly attached and does not move.

### 2. Usage

- Once installed, attach your accessories to the rail as per their instructions.
- Always ensure that accessories are securely fastened before use.
- Regularly inspect the rail and accessories for wear or damage.

## Disposal Instructions

- When disposing of the ARCALOCK MLOK Dovetail Rail:
  - Follow local regulations for the disposal of aluminum products.
  - Consider recycling the product to minimize environmental impact.
  - Ensure that any attached components are also disposed of properly.

## **Contact Information for Further Support**

- For any inquiries related to safety or product support, please refer to the contact information provided in the product packaging or visit the manufacturer's website for assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy using your ARCALOCK MLOK Attachment Area 419 Dovetail Rail!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)