

# RCALOCK ARM FOR GARMIN® XERO - AREA 419 ARCALOCK RAIL FOR GARMIN XERO FOR 17S MOUNT OR QD BLACK

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

The Garmin® Xero C1 Chronograph is here – and it's really great. One of the key selling points of the unit is its size, so when Area 419 got one they immediately wanted to be able to mount it to the rifle. The ARCALOCK Arm for the Xero® C1 allows you to take advantage of all of the unit's versatility, mounted either on the bottom of your rifle or the top. The arm allows you to mount the unit in-line with the barrel via diving board or side-mount, or offset from the rifle with an ARCA rail or elongated pic rail. The arm can also be removed from the rifle and attached to any tripod with an ARCA head for stationary use. The mounting 17S mounting pattern allows the use of either one of Area 419's Arcalock clamps or a QD picatinny lever clamp. Milled from billet aluminum, and including convenient hardware, this is the perfect complement for your Garmin® Xero C1 Chronograph.



The Garmin® Xero C1 Chronograph is here – and it's really great. One of the key selling points of the unit is its size, so when Area 419 got one they immediately wanted to be able to mount it to the rifle. The ARCALOCK Arm for the Xero® C1 allows you to take advantage of all of the unit's versatility, mounted either on the bottom of your rifle or the top. The arm allows you to mount the unit in-line with the barrel via diving board or side-mount, or offset from the rifle with an ARCA rail or elongated pic rail. The arm can also be removed from the rifle and attached to any tripod with an ARCA head for stationary use. The mounting 17S mounting pattern allows the use of either one of Area 419's Arcalock clamps or a QD picatinny lever clamp. Milled from billet aluminum, and including convenient hardware, this is the perfect complement for your Garmin® Xero C1 Chronograph. **PLEASE NOTE: This is the ARCALOCK Arm for the Xero® C1 ONLY, it does not include either of Area 419's Arcalock clamps or a QD picatinny lever clamp:**

[AREA 419 ARCALOCK 3-LEVER CLAMP QUICK DETACH FOR 17S MOUNT BLACK](#)

## Attributes

- Name: [AREA 419 ARCALOCK RAIL FOR GARMIN XERO FOR 17S MOUNT OR QD BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107275
- Mfr. No.: 419-ALK-XERO
- Colour: Black
- Material: Aluminum
- Style: Quick Detach
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 810080182295

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for RCALOCK ARM FOR GARMIN® XERO AREA 419 RCALOCK RAIL
- About Us

# Safety Instruction Guide for RCALOCK ARM FOR GARMIN® XERO AREA 419 ARCALOCK RAIL

## Introduction

Thank you for choosing the RCALOCK Arm for Garmin® Xero Area 419 Arcalock Rail. This product is designed to enhance your shooting experience by providing a secure and versatile mounting option for your Garmin® Xero C1 Chronograph. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Regularly inspect the product for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Do not modify or alter the product in any way.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Always ensure that the mounting area of your rifle is clean and free from obstructions before installation.
- Do not exceed the weight limit specified for the mounting arm.
- Ensure that the product is securely attached before use to prevent accidents.
- Avoid using the product in extreme weather conditions that may affect its performance.
- Use only compatible clamps and accessories as specified by the manufacturer.
- If using the product with a tripod, ensure that the tripod is stable and designed to support the weight of the mounted device.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Mounting Surface:** Ensure that the area on your rifle where the arm will be mounted is clean and free of debris.
2. **Select the Mounting Pattern:** Choose between the inline or offset mounting options based on your preference.
3. **Attach the Arm:**
  - Align the arm with the desired mounting point.
  - Securely fasten the arm using the provided hardware, ensuring it is tightly fitted.
4. **Check Stability:** After installation, gently pull on the arm to ensure it is securely attached.

### Usage

1. **Mount the Garmin® Xero C1:** Attach the chronograph to the ARCALOCK arm using the appropriate clamp.
2. **Adjust the Position:** If necessary, adjust the position of the arm to achieve the desired angle for optimal viewing.
3. **Check Alignment:** Ensure that the chronograph is aligned with the barrel of the rifle for accurate readings.
4. **Remove for Tripod Use:** If transferring to a tripod, carefully detach the arm and attach it to the tripod's ARCA head.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Recycle materials where possible to minimize environmental impact.

## **Contact Information for Further Support**

For any inquiries regarding the safety, installation, or usage of the RCALOCK Arm for Garmin® Xero Area 419 Arcalock Rail, please refer to the manufacturer's website or contact their customer support for assistance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)