

CO-AX XL ADAPTER LOCK RINGS - FORSTER 1-1/4" TO 7/8" ADAPTER LOCK RING, SINGLE

[Reloading](#) > [Reloading Dies](#) > [Replacement Parts & Upgrades](#)

Adapter Lock Rings for the Forster Co-Ax XL Press. The Adapter Lock Rings come in 1-1/4"-7/8" threads. Available as single or a 6-pack.



Attributes

- Name: [FORSTER 1-1/4" TO 7/8" ADAPTER LOCK RING, SINGLE](#)
- Manufacturer: [FORSTER](#)
- Product no.: 430107341
- Mfr. No.: DIE-G-40
- Delivery weight: 0.023kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 757253990175

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for COAX XL ADAPTER LOCK RINGS
- About Us

Safety Instruction Guide for COAX XL ADAPTER LOCK RINGS

Introduction

Thank you for choosing the COAX XL Adapter Lock Rings by Forster. This product is designed to provide a secure connection for your Forster CoAx XL Press. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

The following guidelines are designed to help you use the COAX XL Adapter Lock Rings safely:

- Always follow the manufacturer's instructions for use.
- Inspect the product before each use for any signs of wear or damage.
- Use only the specified Forster CoAx XL Press with this adapter lock ring.
- Keep the product out of reach of children and pets.
- Do not attempt to modify or alter the product in any way.
- Store the product in a dry, cool place when not in use.

Specific Safety Precautions for Use

When using the COAX XL Adapter Lock Rings, please observe the following safety precautions:

- Ensure that the adapter lock rings are securely fastened before use.
- Do not exceed the recommended torque specifications when installing the lock rings.
- Avoid using the adapter lock rings in wet or damp conditions.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when operating machinery.
- If you experience any unusual noise or resistance during operation, stop using the product immediately and inspect it for damage.

Instructions for Installation and Usage

Follow these steps to install and use the COAX XL Adapter Lock Rings:

1. Preparation

- Gather all necessary tools and materials.
- Ensure that the Forster CoAx XL Press is turned off and unplugged.

2. Installation

- Take the 11/4" Adapter Lock Ring and align it with the corresponding threads on the press.
- Carefully screw the lock ring onto the press, ensuring it is threaded properly.
- Tighten the lock ring securely but do not overtighten.

3. Usage

- Once installed, check that the lock ring is secure before proceeding with your tasks.
- Follow the operational guidelines for the Forster CoAx XL Press to ensure proper use of the adapter lock rings.

4. PostUse Inspection

- After use, inspect the lock rings for any signs of wear or damage.
- Clean the lock rings to remove any debris or residue.
- Store the lock rings in a safe location.

Disposal Instructions

When the COAX XL Adapter Lock Rings have reached the end of their life cycle, dispose of them responsibly:

- Check local regulations for proper disposal methods.
- If the product is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries regarding the safety and use of the COAX XL Adapter Lock Rings, please reach out to the manufacturer or your point of purchase.

By following these safety instructions, you can ensure a safe and effective experience with your COAX XL Adapter Lock Rings. Always prioritize safety and stay informed about best practices for using your equipment. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk