

CO-AX XL ADAPTER LOCK RINGS - FORSTER 1-1/4" TO 7/8" ADAPTER LOCK RING 6-PACK

[Reloading](#) > [Reloading Dies](#) > [Replacement Parts & Upgrades](#)

Adapter Lock Rings for the Forster Co-Ax XL Press. The Adapter Lock Rings come in 1-1/4"-7/8" threads. Available as single or a 6-pack.



Attributes

- Name: [FORSTER 1-1/4" TO 7/8" ADAPTER LOCK RING 6-PACK](#)
- Manufacturer: [FORSTER](#)
- Product no.: 430107342
- Mfr. No.: DIE-G-40-6
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 757253990151

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for COAX XL Adapter Lock Rings
- About Us

Safety Instruction Guide for COAX XL Adapter Lock Rings

Introduction

Thank you for choosing the COAX XL Adapter Lock Rings by Forster. These lock rings are designed for use with the Forster CoAx XL Press and provide a secure fit for 11/4" to 7/8" threads. This safety instruction guide is intended to ensure your safe and effective use of this product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the Adapter Lock Rings for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use the Adapter Lock Rings only with compatible equipment to prevent malfunction.
- Avoid using the product in wet or damp conditions to reduce the risk of slipping or electrical hazards.
- Do not exceed the recommended torque specifications when installing the lock rings.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the press.
- If you experience any difficulty during installation or usage, stop immediately and consult the manufacturer's guidelines.

Instructions for Installation and Usage

1. Preparation:

- Ensure the Forster CoAx XL Press is turned off and unplugged before beginning installation.
- Gather all necessary tools and the Adapter Lock Rings.

2. Installation:

- Identify the correct threading on your press. The Adapter Lock Rings fit 11/4" to 7/8" threads.
- Align the Adapter Lock Ring with the threading on the press.
- Handtighten the lock ring onto the threads until secure. Do not overtighten.
- If necessary, use a wrench for additional tightening, ensuring not to exceed the recommended torque.

3. Usage:

- Once installed, check that the lock ring is secure before operating the press.
- Follow the operational guidelines for the Forster CoAx XL Press.
- Monitor the Adapter Lock Rings during use for any signs of loosening or damage.

4. PostUse:

- After use, inspect the Adapter Lock Rings for any wear or damage.
- Store the lock rings in a dry place, away from children and pets.

Disposal Instructions

- Dispose of the Adapter Lock Rings in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling programs in your area.
- If the product is damaged, ensure it is disposed of safely to prevent injury.

Contact Information for Further Support

For further assistance, please refer to the manufacturer's website or contact customer support. Ensure to have your product details ready for efficient service.

By following these safety instructions, you can ensure a safe and effective experience with your COAX XL Adapter Lock Rings. Thank you for your attention to safety and for choosing Forster products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk