

EJECTOR ROD FOR RUGER® WRANGLER® & RUGER® NEW MODEL SINGLE-SIX® - SAMSON MANUFACTURING CORP EJECTOR ROD BULLSEYE FOR RUGER WRANGLER MATTE STAINLESS

[Handgun Parts](#) > [Action Parts](#) > [Ejector Parts](#) > [Ejector Rod Assemblies](#)

The Samson Enhanced Ejector Rod instantly upgrades your Ruger® Wrangler® or New Model Single-Six® .22 LR single action revolver. With a larger button, ejecting spent .22 cases is much easier and faster, speeding up the reloading process. Choose either Bullseye and Crescent shaped button in either stainless or black oxide finish to best match your revolver. The ejector components are made of stainless steel for outstanding durability and longevity. The Enhanced Ejector Rod only fits Wrangler® and New Model Single-Six® revolvers with a barrel length of 4.62" and greater, NOT the new, shorter (3.75") barreled Wranglers. Includes: Ejector Rod Assembly, Installation Instructions FEATURES: Works with the following Ruger® single action revolvers: Wrangler® and New Model Single-Six® Will not impact compatibility with most leather holsters Increased button surface area Proudly made in New Hampshire, USA Specifications: Material: stainless steel Finish (button): black oxide or matte stainless Length: 4 inches Width: 0.42 inches Height: 0.77 inches (Bullseye), 0.82 inches (Crescent) Diameter: 0.156 inches (rod) Weight: 0.5 oz



Attributes

- Name: [SAMSON MANUFACTURING CORP EJECTOR ROD BULLSEYE FOR RUGER WRANGLER MATTE STAINLESS](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 430107457
- Mfr. No.: 04-04087-00
- Model: Single Six,Wrangler,22/45
- Weapon type: Ruger
- Delivery weight: 0.027kg
- Shipping height: 13mm
- Shipping width: 104mm
- Shipping length: 165mm
- UPC: 850028390054

Item details

Made in USA
US export classification: 0A501.x

Table of Contents

- Startpage
- Ejector Rod for Ruger® Wrangler® & Ruger® New Model SingleSix® Safety Instruction Guide
- About Us

Ejector Rod for Ruger® Wrangler® & Ruger® New Model SingleSix® Safety Instruction Guide

Introduction

Thank you for purchasing the Ejector Rod for Ruger® Wrangler® and Ruger® New Model SingleSix®. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure that this product is used in accordance with the manufacturer's guidelines to prevent accidents and injuries.
- **Enhanced Recalls:** Stay informed about any recall notices or safety alerts related to this product.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the product packaging for contact information.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Compatibility:** This ejector rod is designed specifically for Ruger® Wrangler® and New Model SingleSix® revolvers with a barrel length of 4.62 inches or greater. Do not use it with shorter barreled models.
- **Installation:** Follow the installation instructions carefully to avoid any malfunction.
- **Inspection:** Regularly inspect the ejector rod for any signs of wear or damage. Do not use if damaged.
- **Handling:** Always handle firearms responsibly and follow all applicable laws and regulations regarding firearm safety.
- **Usage:** Ensure the firearm is unloaded before installing or removing the ejector rod.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is pointed in a safe direction.
- Verify that the firearm is unloaded.
- Gather necessary tools for installation (if applicable).

2. Installation:

- Remove the existing ejector rod from the revolver by following the manufacturer's instructions.
- Align the new ejector rod with the designated slot on the revolver.
- Securely attach the ejector rod, ensuring it is properly seated.

3. Usage:

- To eject spent cartridges, press the larger button on the ejector rod.
- Practice safe handling and ensure the revolver is pointed in a safe direction during use.

Disposal Instructions

- Dispose of the ejector rod responsibly, following local regulations for metal disposal.
- Do not dispose of in household waste. Consider recycling options if available.

Contact Information for Further Support

For any questions or concerns regarding the Ejector Rod for Ruger® Wrangler® and Ruger® New Model SingleSix®, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

Thank you for your attention to these safety guidelines. Enjoy safe and responsible use of your new ejector rod!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk