

B.A. SLING POINT FOR RUGER® MINI-14® & RUGER® MINI THIRTY® - SAMSON MANUFACTURING CORP B.A. SLING POINT FOR RUGER MINI-14 & THIRTY 2008/LATER SS

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Upgrade your factory gas block with their original B.A. Sling Point gas block cap designed for the Ruger® Mini-14® and Mini Thirty® 2008 or later in Black or Stainless are compatible with Mini-14® rifles with a factory flanged .625"" diameter barrel manufactured in 2008 or later, with a serial number prefix of 508 or higher. Additionally, Mini Thirty® rifles with the older factory straight pencil .625"" diameter barrel and the new factory flanged .625"" diameter barrel will be compatible. 2007 or earlier in Black or Stainless are compatible with Mini-14® rifles with a factory straight pencil .562"" diameter barrel manufactured in 2007 or earlier, with a serial number prefix of 181 through 199, but not including 580 or higher. B.A. Sling Point Features: Replaces the factory Ruger® Mini-14® or Mini Thirty® gas block cap Integrated sling attachment point It's BadAss Specifications: Material: 303 Stainless Steel / 4140 Chromoly Steel Finish: Stainless or Black Oxide Length: 1.25" Width: 1.75" Height: .5" Weight: 1.3 oz.



Attributes

- Name: [SAMSON MANUFACTURING CORP B.A. SLING POINT FOR RUGER MINI-14 & THIRTY 2008/LATER SS](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 430107474
- Mfr. No.: 04-06102-00
- Colour: Stainless Steel
- Delivery weight: 0.037kg
- Shipping height: 38mm
- Shipping width: 133mm
- Shipping length: 127mm
- UPC: 850028390870

Item details

Made in USA

Table of Contents

- Startpage
- B.A. Sling Point for Ruger® Mini14® & Mini Thirty® Safety Instructions
- About Us

B.A. Sling Point for Ruger® Mini14® & Mini Thirty® Safety Instructions

Introduction

Thank you for choosing the B.A. Sling Point for your Ruger® Mini14® or Mini Thirty®. This product is designed to enhance your firearm's functionality and safety. Please read this safety instruction guide carefully to ensure proper use and installation of the B.A. Sling Point, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep your firearm pointed in a safe direction at all times.
- Store the firearm and accessories in a secure location, out of reach of children and unauthorized users.
- Inspect the B.A. Sling Point regularly for signs of wear or damage. Do not use if damaged.
- Follow all local laws and regulations regarding firearm accessories.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the B.A. Sling Point is compatible with your Ruger® Mini14® or Mini Thirty® model before installation.
- Only use the B.A. Sling Point with firearms that meet the specified barrel diameter requirements.
- Do not exceed the weight limit of the sling or accessory attached to the B.A. Sling Point.
- Always ensure that the sling is securely attached before use.
- Avoid using the sling point in conditions that may compromise safety, such as extreme weather or unstable environments.

Instructions for Installation and Usage

Installation

1. **Gather Required Tools:** Ensure you have the necessary tools for installation, including a wrench and any other required equipment.
2. **Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
3. **Remove the Existing Gas Block Cap:** Carefully remove the factory gas block cap from your Ruger® Mini14® or Mini Thirty®.
4. **Install the B.A. Sling Point:**
 - Align the B.A. Sling Point with the gas block.
 - Securely fasten the sling point according to the manufacturer's specifications.
5. **Check for Stability:** Once installed, check the B.A. Sling Point for stability and ensure it is properly secured.

Usage

- Attach your sling to the B.A. Sling Point securely.
- Adjust the sling to ensure comfortable and safe handling of your firearm.
- Regularly inspect the sling and attachment points for wear or damage.

Disposal Instructions

- Dispose of the B.A. Sling Point in accordance with local regulations.

- Do not dispose of the product in regular household waste.
- Consider recycling options if available.

Contact Information for Further Support

For any questions or concerns regarding the B.A. Sling Point, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety instructions, you can ensure a safe and effective experience with your B.A. Sling Point for Ruger® Mini14® and Mini Thirty®. Thank you for prioritizing safety in your firearm handling and usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk