

RAB-AD RAPID ATTACH BUTTSTOCK ADAPTER - STERN DEFENSE, LLC RAB-AD RAPID ATTACH BUTTSTOCK ADAPTER BLACK

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

The Rapid Attach Buttstock Adapter allows you to greatly reduce the length of your firearm for compact storage and easy transportation without any modifications. It allows for the attachment and removal of your buttstock or pistol brace in seconds. How to use: To detach, push the button and twist counter-clockwise 30 degrees. The buttstock will then be separated from the firearm. To re-attach, align the two pieces, push in and turn clockwise 30 degrees. The steel locking mechanism automatically secures the adapter. It's 7075 aluminum construction and steel internals make the RAB-AD both robust and lightweight. The RAB-AD is designed for gas piston, direct impingement, direct blow back and radial delayed blowback systems in the AR platform.

RAB-AD Features: Designed, machined, and assembled in the U.S.A 7075 aluminum body Steel internals Hard coat anodized for maximum wear protection Buffer retainer to keep the buffer weight in the tube while disassembled Buffer spacer compatible with all standard-length AR-15 bolts RAB-AD weighs 3.5ounces Adds 1.25 inches to length of pull **NOTE:** The RAB-AD is not compatible with BCG's that have a flared boss at the tail of the carrier. The tail of the BCG must be .950" or smaller. Is compatible with the JP silent capture spring. *Armorers tools provided. Only 3/8 ratchet wrench required* For those wanting multiple stock options for the same lower receiver... **RAB-AD MALE Features:** Designed, machined, and assembled in the U.S.A 7075 aluminum body Steel internals Hard coat anodized for maximum wear protection Buffer retainer to keep the buffer weight in the tube while disassembled Buffer spacer compatible with all standard-length AR-15 bolts RAB-AD MALE weighs 2.6 ounces



Attributes

- Name: [STERN DEFENSE, LLC RAB-AD RAPID ATTACH BUTTSTOCK ADAPTER BLACK](#)
- Manufacturer: [STERN DEFENSE, LLC](#)
- Product no.: 430107763
- Mfr. No.: 008- SD RAB-AD-D1-M
- Finish: Black
- Material: Aircraft Aluminum
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 114mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 850001176774

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- RABAD Rapid Attach Buttstock Adapter Safety Instruction Guide
- About Us

RABAD Rapid Attach Buttstock Adapter Safety Instruction Guide

Introduction

Thank you for choosing the RABAD Rapid Attach Buttstock Adapter from STERN DEFENSE, LLC. This product is designed to enhance the versatility and portability of your firearm. Please read this safety instruction guide carefully to ensure safe and effective use of the RABAD.

General Safety Guidelines

- Ensure that you are familiar with the laws and regulations regarding firearm accessories in your jurisdiction.
- Always treat your firearm as if it is loaded, even if it is not.
- Keep the firearm pointed in a safe direction at all times.
- Store the RABAD and your firearm securely when not in use to prevent unauthorized access.
- Regularly inspect the RABAD for any signs of wear or damage before each use.
- Follow all manufacturer instructions for your firearm to ensure compatibility with the RABAD.

Specific Safety Precautions for Use

- The RABAD is not compatible with BCGs that have a flared boss at the tail of the carrier. Ensure the tail of the BCG is .950" or smaller.
- Use only the recommended tools for installation and removal of the RABAD.
- Do not exceed the specified weight limits for the buttstock or pistol brace when using the RABAD.
- Keep hands and body clear of moving parts during installation and removal.
- Ensure the firearm is in a safe and stable position when attaching or detaching the RABAD.
- Always check that the adapter is securely locked in place before using the firearm.

Instructions for Installation and Usage

1. To Detach the RABAD:

- Ensure the firearm is pointed in a safe direction.
- Press the button on the RABAD and twist counterclockwise 30 degrees.
- The buttstock will separate from the firearm.

2. To ReAttach the RABAD:

- Align the two pieces of the RABAD.
- Push in and turn clockwise 30 degrees.
- The steel locking mechanism will automatically secure the adapter.

3. Additional Installation Notes:

- The RABAD is designed for various systems in the AR platform, including gas piston and direct impingement.
- Ensure that the buffer retainer is in place to keep the buffer weight in the tube while disassembled.

Disposal Instructions

- Dispose of the RABAD in accordance with local regulations regarding aluminum and steel recycling.
- Ensure that any components that may pose a hazard are properly disposed of to prevent injury.

Contact Information for Further Support

For any inquiries regarding safety, usage, or compatibility of the RABAD, please refer to the manufacturer's website or contact the customer service department.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk