

RAB-AD RAPID ATTACH BUTTSTOCK ADAPTER - STERN DEFENSE, LLC RAB-AD RAPID ATTACH BUTTSTOCK ADAPTER MALE ASSEMBLY BLACK

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

The Rapid Attach Buttstock Adapter allows you to greatly reduce the length of your firearm for compact storage and easy transportation without any modifications. It allows for the attachment and removal of your buttstock or pistol brace in seconds. How to use: To detach, push the button and twist counter-clockwise 30 degrees. The buttstock will then be separated from the firearm. To re-attach, align the two pieces, push in and turn clockwise 30 degrees. The steel locking mechanism automatically secures the adapter. It's 7075 aluminum construction and steel internals make the RAB-AD both robust and lightweight. The RAB-AD is designed for gas piston, direct impingement, direct blow back and radial delayed blowback systems in the AR platform.

RAB-AD Features: Designed, machined, and assembled in the U.S.A 7075 aluminum body Steel internals Hard coat anodized for maximum wear protection Buffer retainer to keep the buffer weight in the tube while disassembled Buffer spacer compatible with all standard-length AR-15 bolts RAB-AD weighs 3.5ounces Adds 1.25 inches to length of pull NOTE: The RAB-AD is not compatible with BCG's that have a flared boss at the tail of the carrier. The tail of the BCG must be .950" or smaller. Is compatible with the JP silent capture spring. *Armorers tools provided. Only 3/8 ratchet wrench required* For those wanting multiple stock options for the same lower receiver...

RAB-AD MALE Features: Designed, machined, and assembled in the U.S.A 7075 aluminum body Steel internals Hard coat anodized for maximum wear protection Buffer retainer to keep the buffer weight in the tube while disassembled Buffer spacer compatible with all standard-length AR-15 bolts RAB-AD MALE weighs 2.6 ounces



Attributes

- Name: [STERN DEFENSE, LLC RAB-AD RAPID ATTACH BUTTSTOCK ADAPTER MALE ASSEMBLY BLACK](#)
- Manufacturer: [STERN DEFENSE, LLC](#)
- Product no.: 430107764
- Mfr. No.: 008-SD RAB-AD MALE-D2-M
- Finish: Black
- Material: Aircraft Aluminum
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 114mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 850001176811

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- RABAD Rapid Attach Buttstock Adapter Safety Instructions
- About Us

RABAD Rapid Attach Buttstock Adapter Safety Instructions

Introduction

Thank you for choosing the RABAD Rapid Attach Buttstock Adapter by Stern Defense, LLC. This product is designed to enhance the versatility of your firearm while ensuring ease of use and safety. Please read this safety instruction guide carefully to ensure proper usage and to minimize any risks associated with the product.

General Safety Guidelines

- Always ensure that your firearm is unloaded before attaching or detaching the buttstock adapter.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the RABAD for any signs of wear or damage before each use.
- Do not modify the RABAD or use it in a manner not specified in this guide.
- If you experience any issues with the product, cease use immediately and consult a qualified professional.

Specific Safety Precautions for Use

- Ensure that the tail of the bolt carrier group (BCG) is .950 inches or smaller for compatibility with the RABAD.
- The RABAD is not compatible with BCGs that have a flared boss at the tail of the carrier.
- Use only the recommended tools for installation and removal, as specified in the instructions.
- Do not exceed the weight limits specified for the adapter; excessive weight may compromise safety.
- Always follow local laws and regulations regarding firearm accessories.

Instructions for Installation and Usage

Installation

1. Ensure your firearm is unloaded and pointed in a safe direction.
2. Align the RABAD with the buffer tube of your firearm.
3. Push the adapter in until it is fully seated.
4. Turn the adapter clockwise 30 degrees to secure it in place.
5. Ensure that the steel locking mechanism is engaged.

Usage

- **To Detach:**

1. Ensure the firearm is pointed in a safe direction.
2. Push the button on the RABAD.
3. Twist the adapter counterclockwise 30 degrees to detach from the firearm.

- **To ReAttach:**

1. Align the two pieces of the RABAD.
2. Push the adapter in and turn clockwise 30 degrees until it locks into place.

Disposal Instructions

- Dispose of the RABAD in accordance with local regulations regarding aluminum and metal waste.

- Do not dispose of the product in regular household waste.
- If the product is damaged, ensure it is disposed of in a manner that prevents any risk of injury.

Contact Information for Further Support

For any questions, concerns, or safety inquiries regarding the RABAD Rapid Attach Buttstock Adapter, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for prioritizing safety and compliance while using the RABAD. Enjoy the enhanced functionality it offers your AR platform firearm.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk