

SIDELOK MOUNT LOW-PROFILE FOR TRIJICON® RMR - KINETIC DEVELOPMENT GROUP LLC SIDELOK LOW MOUNT QUICK DETACH FOR TRIJICON RMR BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Sidelok is a groundbreaking Quick Detach (QD) mounting system for optics. It eliminates the need for tools, levers, or oversized knobs, offering a simple push button design for securely mounting any optic to a picatinny rail. The system guarantees to maintain zero and ensures continuous return to zero when remounted in the same position as when the optic was zeroed. With an additional safety feature to prevent unintentional movement or detachment of the optic, Sidelok represents the future of optics mounts. SPECS: Height (From top of Picatinny Rail): .659" Width: 1.10" Length: 2.250" Weight: 2.4 oz

Features: No Co-witness (low profile) Finish: Black Anodized Compatibility: Trijicon RMR| Trijicon SRO | Ameriglo HAVEN | Holosun 407c | Holosun 407C V2 | Holosun 507C | Holosun 507C V2 | Holosun 507C X2 | Holosun 508T | Holosun 508T X2 | Holosun 509T X2 (with RMR adapter) | Riton X3 Tactix PRD | NcStar VISM FlipDot Pro | ADE Advanced Optics RD3-011 Avenger | ADE Advanced Optics RD3-019 Stringray | ADE Advanced Optics RD3-020 Raptor | ADE Advanced Optics RD3-023 Valkyrie | Swampfox Kingslayer 1x22 | Swampfox Liberty RMR 1x22 | Swampfox Justice RMR 1x27 | Vector Optics Frenzy 1x22x26 | Plus More



Attributes

- Name: [KINETIC DEVELOPMENT GROUP LLC SIDELOK LOW MOUNT QUICK DETACH FOR TRIJICON RMR BLACK](#)
- Manufacturer: [KINETIC DEVELOPMENT GROUP LLC](#)
- Product no.: 430107998
- Mfr. No.: SID5-231
- Colour: Black
- Height: 0.659"
- Weight: 0.15 lbs
- Delivery weight: 0.091kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 851064007395

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIDELOK MOUNT LOWPROFILE FOR TRIJICON® RMR
- About Us

Safety Instruction Guide for SIDELOK MOUNT LOWPROFILE FOR TRIJICON® RMR

Introduction

Thank you for choosing the SIDELOK MOUNT LOWPROFILE FOR TRIJICON® RMR by Kinetic Development Group LLC. This guide provides essential safety instructions and usage information to ensure the safe and effective use of this product. Please read all sections carefully before installation and use.

General Safety Guidelines

- Ensure safe use of the SIDELOK mount by following these guidelines:
 - Always inspect the mount for any damage before use.
 - Use the mount only with compatible optics as listed in the product specifications.
 - Keep the mount away from children and unauthorized users.
 - Do not modify the mount in any way, as this can compromise safety.
 - Store the mount in a dry, cool place when not in use to prevent damage.

Specific Safety Precautions for Use

- Follow these precautions to avoid potential hazards:
 - Ensure the optic is securely attached to the mount before use.
 - Do not exceed the weight limit specified in the product specifications.
 - Always check that the mount is securely attached to the picatinny rail before each use.
 - Avoid using the mount in extreme environmental conditions (e.g., excessive heat, moisture) that could affect its performance.
 - If the mount shows signs of wear or damage, discontinue use immediately and contact support for guidance.

Instructions for Installation and Usage

- Follow these steps for proper installation and usage:
 1. **Installation:**
 - Align the SIDELOK mount with the picatinny rail on your firearm.
 - Press the push button to secure the mount in place.
 - Ensure that the mount is locked and does not move.
 2. **Attaching the Optic:**
 - Place the optic onto the mount.
 - Press the push button to lock the optic securely.
 - Ensure the optic is in the desired position before releasing the button.
 3. **Checking Zero:**
 - After installation, verify that the optic is zeroed.
 - If the mount is removed and reattached, check zero again to ensure accuracy.
 4. **Maintenance:**
 - Regularly inspect the mount for any signs of wear or damage.
 - Clean the mount with a soft, dry cloth to remove dirt and debris.
 - Do not use harsh chemicals or abrasive materials for cleaning.

Disposal Instructions

- Dispose of the SIDELOK mount responsibly:
 - Follow local regulations for electronic waste disposal.
 - If the mount is no longer usable, consider recycling materials where possible.

- Do not dispose of the mount in regular household waste.

Contact Information for Further Support

- For any safety inquiries or support related to the SIDELOK mount, please refer to the manufacturer's website or customer service for assistance.

Conclusion

By following this safety instruction guide, you can ensure the safe and effective use of the SIDELOK MOUNT LOWPROFILE FOR TRIJICON® RMR. Always prioritize safety and comply with the guidelines to enhance your experience with this product. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk