

MUZZLOK® 9MM LUGER FLASH HIDER - FAXON FIREARMS

MUZZLOK 9MM PORTED FLASH HIDER NITRIDE BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

Faxon's invented "MuzzLok" feature on this device allows for easy timing and installation of your device without the need for a crush washer or shims. By using the extension nut to adjust the length of the device, you can adjust the rotational timing. It is recommended that you tighten the device to the recommended torque specification of 20-25 foot pounds. By not having to overcome the resistance of the crush washer, this allows devices to be removed and reinstalled in the field if desired. FEATURES No crush washer needed. Attach and remove in the field. Time your muzzle device quickly and easily. SPECS NOTE: Muzzle Thread: 1/2-28 Caliber: 9mm, .350 Legend .22 lbs 2.73" Tall .878" in Diameter Note: Cannot be shipped to CA



Attributes

- Name: [FAXON FIREARMS MUZZLOK 9MM PORTED FLASH HIDER NITRIDE BLACK](#)
- Manufacturer: [FAXON FIREARMS](#)
- Product no.: 430108188
- Mfr. No.: FFMD9MMPFHSQPQ
- Caliber: 9 mm Luger
- Finish: Black
- Material: Steel
- Threads: 1/2-28
- Delivery weight: 0.127kg
- Shipping height: 110mm
- Shipping width: 33mm
- Shipping length: 146mm
- UPC: 816341025493

Item details

Made in USA

Table of Contents

- Startpage
- MUZZLOK® 9MM LUGER FLASH HIDER SAFETY INSTRUCTIONS
- About Us

MUZZLOK® 9MM LUGER FLASH HIDER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the MUZZLOK® 9MM LUGER FLASH HIDER by Faxon Firearms. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this document carefully before using the flash hider.

General Safety Guidelines

- Ensure that the flash hider is compatible with your firearm before installation.
- Always follow the manufacturer's instructions for installation and usage.
- Inspect the flash hider for any signs of damage or wear before each use.
- Keep the flash hider and all related equipment out of reach of children and unauthorized users.
- Use appropriate personal protective equipment (PPE), such as hearing and eye protection, while handling firearms and accessories.
- Report any unsafe products or incidents to the relevant authorities immediately.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Muzzle Timing:** Ensure proper timing of the muzzle device to avoid misalignment during firing.
- **Torque Specification:** Tighten the device to the recommended torque specification of 2025 foot pounds to ensure secure installation.
- **Field Removal:** The MuzzLok feature allows for easy removal and reinstallation in the field. However, always verify that the device is properly secured before firing.
- **Avoid Overtightening:** Overtightening may damage the threads or the device itself. Follow the recommended torque specifications closely.
- **Avoid Contact with Hot Surfaces:** After use, the flash hider may be hot. Allow it to cool before handling.
- **Compatibility:** This flash hider is designed for 9mm and .350 Legend calibers. Do not use it with incompatible calibers.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Unscrew any existing muzzle device from the firearm.
- Clean the threads of the barrel to ensure proper fit.
- Align the MuzzLok flash hider with the barrel threads.
- Handtighten the flash hider onto the barrel until snug.
- Use a torque wrench to tighten the flash hider to the recommended torque specification of 2025 foot pounds.

3. Usage:

- Always ensure the flash hider is securely attached before firing.

- Follow all standard firearm safety practices while using the firearm equipped with the flash hider.

4. Removal:

- To remove the flash hider, use the extension nut to adjust the length and loosen the device.
- Ensure the firearm is unloaded and pointed in a safe direction during removal.

Disposal Instructions

- Dispose of the flash hider in accordance with local regulations.
- If the flash hider is damaged or no longer usable, do not attempt to repair it. Instead, dispose of it responsibly to prevent environmental harm.

Contact Information for Further Support

For any inquiries or concerns regarding the MUZZLOK® 9MM LUGER FLASH HIDER, please refer to the manufacturer's website or customer service for assistance.

Thank you for prioritizing safety while using your MUZZLOK® 9MM LUGER FLASH HIDER. Your attention to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk