

EXOS-524 PISTOL COMPENSATOR FOR S&W M&P® SHIELD/SHIELD PLUS - FAXON FIREARMS EXOS-524 PISTOL COMPENSATOR FOR M&P SHIELD/SHIELD PLUS BLK

[Handgun Parts](#) > [Barrel Parts](#) > [Muzzle Devices](#) > [Compensators](#)

Consistency is key. Improve your shot with Faxon Firearms' EXOS Pistol Compensators. Faxon Firearms Pistol Compensators have been tested and confirmed compatible with Smith and Wesson M&P® M&P Shield 1.0, 2.0, and Plus Constructed of 6061 aluminum with a black anodized finish, Faxon Pistol Compensators feature a uniquely angled front port single chamber design, enabling the compensator to improve consistency while reducing muzzle climb and recoil. The angled ports allow gas to deflect upwards as opposed to only deflecting sideways, reducing up and down muzzle movement and improving reliability. Barrel protrusion is designed to fit flush with the slide and has been optimized for Faxon branded barrels. For all other barrels, the barrel should protrude .600" or less for a flush fit. Each compensator comes complete with thread locker, two 6-32 set screws, and a 1/16 Allen wrench. SPECIFICATIONS: Length: 1.1 in Width: .9 in Height: 1.3 in Weight: .05lbs Thread: 1/2x28 *Compensators can affect the timing of your pistol and may require adjustments in lubrication, ammunition, and other areas.



Attributes

- Name: [FAXON FIREARMS EXOS-524 PISTOL COMPENSATOR FOR M&P SHIELD/SHIELD PLUS BLK](#)
- Manufacturer: [FAXON FIREARMS](#)
- Product no.: 430108205
- Mfr. No.: FF-P-A-COMP-SS-MP-01
- Model: M&P Shield,M&P Shield Plus,M&P
- Weapon type: Smith & Wesson
- Delivery weight: 0.054kg
- Shipping height: 160mm
- Shipping width: 38mm
- Shipping length: 89mm
- UPC: 816341026216

Item details

Made in USA

Table of Contents

- Startpage
- EXOS524 Pistol Compensator Safety Instructions
- About Us

EXOS524 Pistol Compensator Safety Instructions

Introduction

Thank you for your purchase of the Faxon Firearms EXOS524 Pistol Compensator for S&W M&P® Shield/Shield Plus. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your new compensator. Please read this manual carefully before use.

General Safety Guidelines

To ensure your safety and the proper functioning of the EXOS524 Pistol Compensator, please adhere to the following guidelines:

- Always treat your firearm as if it is loaded.
- Ensure that the compensator is compatible with your firearm model.
- Follow all local laws and regulations regarding firearm modifications.
- Keep the compensator and all related accessories out of reach of children and unauthorized users.
- Regularly inspect the compensator for any signs of wear or damage before use.
- Use only the recommended ammunition types to avoid malfunctions.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

When using the EXOS524 Pistol Compensator, please observe the following precautions:

- Ensure that the compensator is properly installed before use.
- Avoid using the compensator with barrels that protrude more than .600" for a flush fit.
- Be aware that compensators can affect the timing of your pistol; adjustments in lubrication, ammunition, and other areas may be necessary.
- Use appropriate eye and ear protection while shooting.
- Do not attempt to modify the compensator or its components.
- If you experience any malfunctions or unusual behavior, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Follow these steps for the proper installation and usage of your EXOS524 Pistol Compensator:

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools: a 1/16 Allen wrench (included) and thread locker (included).

2. Installation:

- Remove the existing muzzle device (if applicable) from your firearm.
- Clean the threaded area of the barrel to ensure proper fit.
- Apply a small amount of thread locker to the threads of the barrel.
- Align the compensator with the barrel threads and screw it on, ensuring it is handtight.
- Use the Allen wrench to tighten the two 632 set screws securely against the barrel.
- Ensure the compensator fits flush with the slide.

3. Usage:

- Once installed, test the firearm for proper function in a safe environment.

- Regularly check the tightness of the compensator and set screws after use.

Disposal Instructions

When it is time to dispose of your EXOS524 Pistol Compensator, please follow these guidelines:

- Dispose of the compensator according to local regulations regarding metal waste.
- Do not dispose of it in regular household waste.
- Consider recycling options for metal components.

Contact Information for Further Support

For any inquiries or support regarding the EXOS524 Pistol Compensator, please refer to the manufacturer's contact information provided with your purchase. Ensure you have the product details and any relevant information ready for a more efficient response.

By following these safety instructions and guidelines, you can ensure the safe and effective use of your Faxon Firearms EXOS524 Pistol Compensator. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk