

EXOS-523 PISTOL COMPENSATOR FOR GLOCK® 43 - FAXON FIREARMS EXOS-523 PISTOL COMPENSATOR FOR GLOCK 43 BLACK

[Handgun Parts](#) > [Barrel Parts](#) > [Muzzle Devices](#) > [Compensators](#)

Faxon Firearms Pistol Compensators have been tested and confirmed compatible with Glock® 43 Pistols. Constructed of 6061 aluminum with a black anodized finish, Faxon Pistol Compensators feature a uniquely angled front port single chamber design, enabling the compensator to improve consistency while reducing muzzle climb and recoil. The angled ports allow gas to deflect upwards as opposed to only deflecting sideways, reducing up and down muzzle movement and improving reliability. Barrel protrusion is designed to fit flush with the slide and has been optimized for Faxon branded barrels. For all other barrels, the barrel should protrude .600" or less for a flush fit. Each compensator comes complete with thread locker, two 6-32 set screws, and a 1/16 Allen wrench. SPECS Length: 1.125" Width: .865" Height: 1.269" Weight: .05lbs Thread: 1/2"x28 Caliber: 9mm *Compensators can affect the timing of your pistol and may require adjustments in lubrication, ammunition, and other areas. DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com."



Attributes

- Name: [FAXON FIREARMS EXOS-523 PISTOL COMPENSATOR FOR GLOCK 43 BLACK](#)
- Manufacturer: [FAXON FIREARMS](#)
- Product no.: 430108208
- Mfr. No.: FF-P-A-COMP-SS-G-01
- Model: 43
- Weapon type: Glock
- Delivery weight: 0.054kg
- Shipping height: 160mm
- Shipping width: 38mm
- Shipping length: 89mm
- UPC: 816341026209

Item details

Made in USA

Table of Contents

- Startpage
- EXOS523 Pistol Compensator Safety Instructions
- About Us

EXOS523 Pistol Compensator Safety Instructions

Introduction

Thank you for choosing the EXOS523 Pistol Compensator for your Glock® 43. This safety instruction guide provides essential information to ensure the safe use and installation of your compensator. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe use of the compensator by following all instructions provided.
- Be aware of the potential risks associated with modifications to firearms.
- Always handle firearms safely and responsibly.
- Keep the compensator and all firearm components out of reach of children and unauthorized users.
- Use only compatible barrels, specifically those that meet the specified protrusion requirements.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when shooting.
- Do not exceed the recommended caliber specifications.
- Ensure that the compensator is installed correctly before use.
- Regularly inspect the compensator for any signs of wear or damage.
- If you notice any unusual performance or damage, discontinue use immediately and consult a professional.
- Avoid using the compensator with ammunition that is not recommended for your firearm.

Instructions for Installation and Usage

1. Installation Steps:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Remove the existing muzzle device from your Glock® 43 if applicable.
- Clean the threads of the barrel to ensure proper fit.
- Apply thread locker to the threads of the compensator.
- Align the compensator with the barrel and screw it on until it is snug. Ensure the barrel protrudes .600" or less for a flush fit.
- Use the provided 632 set screws to secure the compensator in place.
- Check that the compensator is properly installed and does not interfere with the slide's operation.
- Recheck the tightness of the compensator after a few rounds of firing.

2. Usage Guidelines:

- Always confirm that the firearm is in a safe condition before handling.
- After installation, test the firearm in a controlled environment to ensure proper function.
- Monitor the performance of the compensator and make any necessary adjustments to lubrication or ammunition as needed.

Disposal Instructions

- Dispose of the compensator and any associated materials in accordance with local regulations.
- Do not dispose of the compensator in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For questions or concerns regarding the EXOS523 Pistol Compensator, please consult your retailer or manufacturer for assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your EXOS523 Pistol Compensator. Always prioritize safety and compliance with local laws and regulations when using firearms. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk