

OPTIC MOUNT FOR HENRY - XS SIGHT SYSTEMS HENRY OPTIC MOUNTING RAIL FOR HENRY 357 CALIBER

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

The XS Lever Rail upgrades the Henry .357 to allow for mounting of an optic in multiple positions. Fits Henry Steel Frame, Big Boy, round barrel carbines chambered in .357 Mag. (Does not fit Big Boy .357 Mag X Carbines.)

Lightweight, anodized aluminum rail is machined to Picatinny specs and allows scope mounting directly over the receiver, or forward for scout scopes or red dot sights. Installation requires removal of factory rear sight. All screws torque to 20 INCH-pounds; over-torquing can fracture or break screws. The XS Sights Lever Rail will not work on Henry rifles with brass receivers or octagonal barrels. The rail can not be modified to work on them. The XS Sights Lever Rail will not work, nor can it be modified to work, on Henry rifles chambered in .30-30.



Attributes

- Name: [XS SIGHT SYSTEMS HENRY OPTIC MOUNTING RAIL FOR HENRY 357 CALIBER](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 430109202
- Mfr. No.: HN-6001R-N
- Colour: Black
- Material: Aluminum
- Model: 357
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Henry
- Delivery weight: 0.227kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533001410

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for OPTIC MOUNT FOR HENRY XS SIGHT SYSTEMS
- About Us

Safety Instruction Guide for OPTIC MOUNT FOR HENRY XS SIGHT SYSTEMS

Introduction

Thank you for choosing the OPTIC MOUNT FOR HENRY XS SIGHT SYSTEMS. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always follow the installation instructions provided in this guide.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the mount for any signs of wear or damage.
- Report any unsafe conditions or incidents to the relevant authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the recommended torque of 20 INCHpounds when tightening screws, as overtorquing can fracture or break screws.
- The XS Sights Lever Rail is not compatible with Henry rifles that have brass receivers or octagonal barrels.
- Ensure that the product is not modified in any way, as this can lead to safety hazards.
- The product is not designed for use on Henry rifles chambered in .3030.
- Always check that the optic is securely mounted before use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench.
- Ensure you have a clean and welllit workspace.

2. Removal of Factory Rear Sight:

- Carefully remove the factory rear sight from your Henry rifle.
- Follow the manufacturer's instructions for removal to avoid damage.

3. Mounting the XS Lever Rail:

- Align the XS Lever Rail with the mounting points on the receiver.
- Insert screws into the designated holes and handtighten them initially.

4. Securing the Mount:

- Use a torque wrench to tighten the screws to a maximum of 20 INCHpounds.
- Doublecheck that all screws are secure and properly tightened.

5. Mounting the Optic:

- Follow the optic manufacturer's instructions for mounting your chosen optic onto the rail.
- Ensure that the optic is securely attached before use.

6. Final Inspection:

- Inspect the entire assembly to ensure everything is secure and correctly installed.
- Perform a function check to ensure the rifle operates safely with the mounted optic.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the safety or usage of the OPTIC MOUNT FOR HENRY XS SIGHT SYSTEMS, please consult the manufacturer's support resources or your retailer.

Thank you for prioritizing safety and ensuring the responsible use of your product. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk