

# **EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 - TYRANT CNC EXTENDED SLIDE RELEASE FOR GLOCK GEN 2-4 ALUMINUM**

[Handgun Parts](#) > [Frame Parts](#) > [Slide Catch Parts](#) > [Slide Catches](#)

Introducing the first-ever Glock Extended Slide Release to be CNC Machined! Made from 6061 Aluminum and hard coat anodized their drop-in replacement Glock slide stop is the perfect upgrade for your pistol. Their Glock extended slide release adds surface area and a raised texture that greatly improves usability for all! It is the perfect upgrade for concealed carry AND competition. Never again will your thumb slip while manipulating your Glock slide release! What is it? This drop-in replacement Glock extended slide stop release lever has a surface area extended over the OEM size. It arrives fully assembled with spring and is offered for multiple Glock models. Why use it? One of the main flaws of the Glock Factory release lever is that it offers very little surface area and/or texture. This results in the operator occasionally slipping when attempting to manipulate the lever. Their Glock slide release offers an extended AND raised surface area to ensure easy manipulation of the Glock slide. It is easy to install, functions great, and looks fantastic! For Generation: Gen 2-4 For Gun Model: 17 (non-2-pin version) 19 22 23 24 25 27 31 32 33 34 35 Caliber: 9MM, .357 \*DOES NOT WORK WITH 10-ROUND MAGAZINES FOR GLOCK 17/19\*



## **Attributes**

- Name: [TYRANT CNC EXTENDED SLIDE RELEASE FOR GLOCK GEN 2-4 ALUMINUM](#)
- Manufacturer: [TYRANT CNC](#)
- Product no.: 430109431
- Mfr. No.: TD-GSTOP-24
- Caliber: 357 SIG, 9 mm Luger
- Finish: Aluminum
- Model: Gen 4, Gen 2, Gen 3
- Weapon type: Glock
- Delivery weight: 0.181kg
- Shipping height: 25mm
- Shipping width: 121mm
- Shipping length: 102mm

## **Item details**

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 TYRANT CNC
- About Us

# Safety Instruction Guide for EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 TYRANT CNC

## Introduction

Thank you for choosing the EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 by TYRANT CNC. This product is designed to enhance the usability of your Glock pistol while ensuring safety during operation. Please read this safety instruction guide carefully to understand how to use and install the product safely.

## General Safety Guidelines

- Ensure that the firearm is unloaded before installation or handling of the slide release.
- Always handle your firearm with care and ensure you follow all standard firearm safety practices.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- If you experience any issues with the product, discontinue use and seek assistance.

## Specific Safety Precautions for Use

- **Installation Precautions:**
  - Only install the slide release on compatible Glock models (Gen 2, Gen 3, Gen 4).
  - Follow the installation instructions carefully to avoid improper fitting.
- **Operational Precautions:**
  - When using the slide release, ensure your grip is secure to prevent slipping.
  - Use caution when manipulating the slide to avoid pinching or injury.
- **Storage Precautions:**
  - Store the firearm with the slide release installed in a secure location.
  - Avoid exposing the product to extreme temperatures or moisture.

## Instructions for Installation and Usage

### Installation Instructions

#### 1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools (if required) for installation.

#### 2. Remove the Existing Slide Stop:

- Use a suitable tool to carefully remove the factory slide stop from the Glock.
- Keep all parts in a safe place for potential reinstallation.

#### 3. Install the Extended Slide Release:

- Align the extended slide release with the mounting point on the Glock.
- Gently press the slide release into place until it is securely fitted.

#### 4. Check Functionality:

- Ensure the slide release operates smoothly without obstruction.
- Test the functionality by cycling the slide and using the release lever.

## **Usage Instructions**

- To operate the slide release, use your thumb to push the lever down while holding the firearm securely.
- Practice using the slide release in a safe environment to become familiar with its operation.
- Always ensure the firearm is pointed in a safe direction when manipulating the slide.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations for metal and firearm accessories.
- If the product is damaged or no longer usable, ensure it is disposed of in a way that prevents it from being accessed by unauthorized individuals.

## **Contact Information for Further Support**

For any inquiries regarding safety or product performance, please contact the manufacturer or your local authorized dealer. Ensure you have your product information ready for a more efficient response.

By following these guidelines, you can help ensure your safety and the safety of others while using the EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 TYRANT CNC. Always prioritize safety and responsible firearm handling.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)