

EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 - TYRANT CNC EXTENDED SLIDE RELEASE FOR GLOCK GEN 2-4 BLACK

[Handgun Parts](#) > [Frame Parts](#) > [Slide Catch Parts](#) > [Slide Catches](#)

Introducing the first-ever Glock Extended Slide Release to be CNC Machined! Made from 6061 Aluminum and hard coat anodized their drop-in replacement Glock slide stop is the perfect upgrade for your pistol. Their Glock extended slide release adds surface area and a raised texture that greatly improves usability for all! It is the perfect upgrade for concealed carry AND competition. Never again will your thumb slip while manipulating your Glock slide release! What is it? This drop-in replacement Glock extended slide stop release lever has a surface area extended over the OEM size. It arrives fully assembled with spring and is offered for multiple Glock models. Why use it? One of the main flaws of the Glock Factory release lever is that it offers very little surface area and/or texture. This results in the operator occasionally slipping when attempting to manipulate the lever. Their Glock slide release offers an extended AND raised surface area to ensure easy manipulation of the Glock slide. It is easy to install, functions great, and looks fantastic! For Generation: Gen 2-4 For Gun Model: 17 (non-2-pin version) 19 22 23 24 25 27 31 32 33 34 35 Caliber: 9MM, .357 *DOES NOT WORK WITH 10-ROUND MAGAZINES FOR GLOCK 17/19*



Attributes

- Name: [TYRANT CNC EXTENDED SLIDE RELEASE FOR GLOCK GEN 2-4 BLACK](#)
- Manufacturer: [TYRANT CNC](#)
- Product no.: 430109432
- Mfr. No.: TD-GSTOP-24-BLK
- Caliber: 9 mm Luger,.357 SIG
- Finish: Black
- Model: Gen 3,Gen 2,Gen 4
- Weapon type: Glock
- Delivery weight: 0.005kg
- Shipping height: 102mm
- Shipping width: 6mm
- Shipping length: 114mm

Item details

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4
- About Us

Safety Instruction Guide for EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4

Introduction

Thank you for choosing the EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4 manufactured by TYRANT CNC. This product is designed to enhance the usability of your Glock pistol. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the firearm is unloaded before installing or handling the slide release.
- Always treat your firearm as if it is loaded, even when you believe it to be unloaded.
- Keep the slide release and all firearm accessories out of reach of children and unauthorized users.
- Inspect the product for any signs of damage before use. If damaged, do not use the slide release.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Use the product only for its intended purpose as described in this guide.

Specific Safety Precautions for Use

- Do not attempt to modify the slide release in any way. Any modification may compromise safety and functionality.
- Always ensure that your thumb is firmly placed on the extended slide release when manipulating it to avoid slipping.
- Be mindful of your surroundings when using your firearm. Ensure that you are in a safe environment.
- If you experience any difficulty in using the slide release, stop using it immediately and consult with a qualified gunsmith.

Instructions for Installation and Usage

Installation

1. **Unloading the Firearm:** Ensure that your Glock is completely unloaded. Remove the magazine and check the chamber.
2. **Remove the OEM Slide Release:** Using a suitable tool, carefully remove the original slide release from your Glock.
3. **Install the Extended Slide Release:** Align the new extended slide release with the mounting point on the Glock. Push it into place until it is securely fitted.
4. **Check Functionality:** Before using your firearm, ensure that the slide release operates smoothly. Test it several times without ammunition.

Usage

- To release the slide, place your thumb on the extended surface of the slide release.
- Apply firm pressure to the slide release while pulling back the slide to chamber a round.
- Practice using the slide release with an unloaded firearm to become familiar with its operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal waste.
- Do not throw the product in regular household waste. Instead, take it to a designated recycling center or facility that handles metal products.

Contact Information for Further Support

For any inquiries regarding the EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your EXTENDED SLIDE RELEASE FOR GLOCK® GEN 2/GEN 3/GEN 4. Always prioritize safety and responsible firearm handling. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk