

NEXGEN 45/90 AMBIDEXTROUS SAFETY SELECTOR FOR AR-15 - TYRANT CNC NEXGEN 45/90 SAFETY SELECTOR AMBIDEXTROUS FOR AR15 BLACK

[Rifle Parts](#) > [Safety Parts](#) > [Safeties](#)

Replace their mil-spec safety selector with the NexGen AR-15 Ambidextrous Safety selector from us, Tyrant Designs CNC! With a 45 AND 90 degree configurable throw, their Ambi safety selector offers supreme fit, function, and aesthetics. Sporting identical length levers, this short-throw safety selector is the best option for left-handed operators, too. Whether lefty, practicing support hand shooting, or just building a new AR-15 the Tyrant Ambi Safety Selector is for you. Rubber Tactile Feel In order to offer a robust tactile feel without compromising on the material, Tyrant Designs designed their safety selector levers to be made from 6061 aluminum with a soft durometer rubber over-mold. What does that mean? You get the durability of a metal selector with the benefits of a grippy rubber texture. Configurable Throw Want a long throw? Or a short one? What about 45 on one side, and 90 on the other? You can get it all with their AR-15 safety selector. Regardless of their needs as an operator, Tyrant Designs are confident that you will find a configuration that suits their needs. Ambidextrous Selection Great for lefty's or those who practice firing with their support hand, their selector is a truly ambidextrous safety selector. Left-handed shooters will have no issue operating their AR-15 with their equal length levers.



Attributes

- Name: [TYRANT CNC NEXGEN 45/90 SAFETY SELECTOR AMBIDEXTROUS FOR AR15 BLACK](#)
- Manufacturer: [TYRANT CNC](#)
- Product no.: 430109525
- Mfr. No.: TD-SSAR-BLACK
- Weapon type: AR-15
- Delivery weight: 0.014kg
- Shipping height: 76mm
- Shipping width: 13mm
- Shipping length: 107mm
- UPC: 612789317806

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- NEXGEN 45/90 Ambidextrous Safety Selector for AR15 Safety Instructions
- About Us

NEXGEN 45/90 Ambidextrous Safety Selector for AR15 Safety Instructions

Introduction

Thank you for choosing the NEXGEN 45/90 Ambidextrous Safety Selector for your AR15. This safety selector is designed to enhance your shooting experience while ensuring safety and functionality. This guide provides essential safety instructions, installation procedures, and disposal information to help you use the product effectively and safely.

General Safety Guidelines

- Ensure the product is suitable for your specific AR15 model before installation.
- Always handle firearms with care and follow standard safety procedures.
- Keep the safety selector in a safe position when not in use to prevent accidental discharge.
- Regularly inspect the safety selector for any signs of wear or damage.
- Store the product in a secure location, away from children and unauthorized users.
- Report any unsafe products or accidents to local authorities immediately.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Ambidextrous Functionality:** This selector is designed for both left and righthanded users. Ensure you are familiar with its operation from both sides.
- **Tactile Feel:** The rubber overmold provides a grippy texture for better handling. Avoid using excessive force when operating the levers to prevent damage.
- **Configurable Throw:** Choose between a 45degree or 90degree throw based on your preference. Ensure the selected configuration is securely locked in place before use.
- **Installation:** Follow the installation instructions carefully to avoid any potential hazards during operation.

Instructions for Installation and Usage

Installation Steps

1. **Safety First:** Ensure your firearm is unloaded and pointed in a safe direction.
2. **Remove the Existing Selector:** Use a punch tool to gently push out the existing safety selector from the lower receiver.
3. **Insert the NEXGEN Safety Selector:**
 - Choose the desired throw angle (45 or 90 degrees).
 - Align the selector with the receiver and insert it into the designated slot.
4. **Secure the Selector:**
 - Ensure the selector is properly seated.
 - Replace any retaining pins and ensure they are secure.
5. **Test the Selector:**
 - Before using the firearm, test the selector to ensure it operates smoothly in both positions.
 - Verify that the selector does not interfere with the operation of the firearm.

Usage Instructions

- To engage the safety, rotate the lever to the "Safe" position.
- To disengage the safety, rotate the lever to the "Fire" position.
- Always check the safety selector's position before handling the firearm.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and rubber materials.
- Do not dispose of the product in regular household waste.
- Consider recycling options available in your area.

Contact Information for Further Support

For any inquiries regarding the NEXGEN 45/90 Ambidextrous Safety Selector, please consult the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the NEXGEN safety selector!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk